



VELUX®

Blinds and shutters

Republic of Ireland Price List (Includes VAT)
Valid from 1st April 2024
veluxshop.ie



Blinds and shutters

- 4 Transforming spaces
- 5 Solutions for sustainable living
- 6 Why VELUX®
- 8 Our timeless blinds collection
- 10 Protect your home and block the heat outside
- 12 Operation: Select your level of comfort
- 14 Intelligent Home Control solutions
- 16 Installation of VELUX blinds
- 18 Heat Protection: Anti-heat blinds and shutters
- 28 Roller blinds
- 40 Pleated blinds
- 44 Venetian blind
- 45 Insect screen
- 46 Flat roof window blinds
- 50 How to order your new VELUX blinds
- 51 Extras for your blinds and shutters

Transforming spaces into favourite places

We all look for the perfect place where we can relax, recharge and feel content – or even be more productive. Often, without us noticing, it is a place filled with daylight and fresh air.

For over 80 years, the VELUX Group has helped people transform spaces using daylight and fresh air through the roof. By creating brighter, healthier, more sustainable places to live, work, learn and play, we enable a better everyday life for people around the world.

Our award-winning roof windows can fit any roof – flat, pitched, old or new – and can be accessorised with VELUX blinds and shutters. You can even add more space to your home with a VELUX Roof balcony or upgrade your roof windows to VELUX ACTIVE with NETATMO - our intelligent home solution.

VELUX roof windows are built to last. We take pride in our craft and high-quality products. But what you may not see is that VELUX roof windows are part of an ambitious sustainability strategy. We have set targets to reduce our carbon emissions in line with the Paris Agreement's most ambitious emissions reduction pathway. In addition to this, we plan to offset the equivalent of our historical carbon emissions. In other words, there are several reasons to choose a VELUX roof window.



Solutions for sustainable living

Sustainability has always been in our nature and we are committed to new, pioneering measures, based on science and examined by experts.

We will dramatically reduce our future CO₂ emissions, shifting our power supply to 100% renewable energy and making our production significantly more energy efficient. We will also be fundamentally changing the materials we use for our products to make them more sustainable.

By 2030, we will reduce the carbon footprint of our products by 50%. We will be a climate-neutral company and will have halved CO₂ emissions across our entire value chain. Simultaneously, by 2041, we will have captured the same amount of CO₂ that we have emitted since the company was founded.

In order to achieve this, we have formed a 20-year partnership with WWF (World Wide Fund For Nature) on forest conservation and restoration projects around the world.

When you buy a VELUX solution, you are part of this journey. You will find yourself at the forefront of roof window technology. For example, through energy-efficient triple glazing or the use of smart, sensor-based roof window solutions that create a self-regulating indoor climate for healthy living indoors.

We all need a healthy home – including Mother Nature. With our commitment to become a more sustainable company and contribute to a greener construction industry, we are doing everything we can to achieve this.




Why VELUX®

Your VELUX roof windows deserve original blinds and shutters, for a perfect fit, beautiful design and long-lasting performance.

1

Designed and tested for daily life

All VELUX products are **designed and tested for real life**. Our blinds and shutters are rigorously tested by being opened and closed thousands of times. They are exposed to extreme weather conditions to ensure the blinds retain their colour. What's more, we pull, tug and squeeze the material to ensure your new blind keeps its shape and stands the test of time. Then, when we are happy with the design, our European factories start production.



2

Easy to install and use

Original VELUX blinds and shutters are **tailor-made for your VELUX roof windows**. This means they always fit perfectly and are easy to install with no measuring or cutting. The elegant and slim-frame design **ensures a perfect looking result**, making the blind almost invisible when not in use.



3

Your colours for your home

Enjoy an extensive choice of blind and shutter types in all styles and colours. You can even create your own customised blind with our **Colour by You** collection - all with a choice of white or brushed aluminium side rails.



4

For safety and sustainability

VELUX blinds have **child-safe cordless designs** to ensure safety in your home. All our interior blinds are **Oeko-Tex® certified** and guaranteed to be free from harmful substances. VELUX anti-heat shutters have dual functionality, protecting your room from overheating while actively deterring break-ins.





Discover our timeless collection

From classic to trendy and light dimming to complete blackout, the VELUX blind collection features stylish colours, subtle patterns and a range of features to match all room types.


The VELUX blind collection is developed in partnership with leading international trend experts. Choose from a large variety of fabrics and colours in classic or more modern designs.

We offer three different **roller blinds** with flat fabrics, two types of **pleated blinds**, as well as our classic **Venetian blinds**. All varieties come in a range of colours for you to mix and match by choosing different or similar colours across your rooms and blind types.

Your choice of blind depends entirely on your personal style, the room type, and whether you are looking to create a complete blackout or light dimming effect. Explore the following pages for more inspiration.

Customise the colour of your blind
If you cannot find the exact colour to match your taste or interiors, the Colour by You collection gives you thousands of additional colours to choose from.

Read more on page 37 or at veluxshop.ie/colour



Clean all white look

VELUX blinds are available with high-quality side rails in your choice of either brushed or white painted aluminium.

Brushed aluminium works exceptionally well with our lacquered wood-finish roof windows while the white painted rails become almost

invisible when paired with white VELUX roof windows. Furthermore, thanks to their UV protection, the bright white will stay unaffected by sunlight.

The side rails are easy to install and designed to complement your VELUX roof windows beautifully.

Blackout or translucent blinds?

Blackout blinds block incoming light, making them the preferred choice for bedrooms and children's rooms, where darkness is needed for a good night's sleep.

Translucent blinds allow a dimmed light to enter into the room while effectively preventing glare. Translucent blinds are suitable for many room types like living rooms, home offices and game rooms.

Protect your home and block the heat outside

Keep your home comfortable with VELUX exterior blinds and shutters, designed to shield your space from the heat and dazzling sun before it even reaches your roof windows.

Why choose exterior heat protection?

Optimal control of daylight and indoor climate

- Protect your home from direct sunlight whenever you want.
- Highly effective indoor temperature control, reducing energy costs for heating or cooling.
- Benefit from an additional layer of insulation during colder seasons.
- Keep the indoor temperature cool and comfortable during summer.
- Helps you to relax by reducing noise from the outside.

Durability and longevity

- VELUX anti-heat blinds and shutters are built to last and add long-lasting value to your home.
- Made from high-quality materials with up to a 5-year guarantee.
- Designed to withstand the harshest weather conditions whilst maintaining their functionality and visual appeal for years to come.

Great design and hassle-free installation

- Our products are designed to match your VELUX roof windows perfectly, allowing full operation thanks to their position on the outer sash.
- Simple installation from inside the room.



Anti-heat blind – keep cool with a view to the outside

With transparent mesh fabric, anti-heat blinds block the sun's heat whilst still maintaining a view to the outdoors. Perfect for glare-free workdays from the home office or cool afternoons in the living room.



Anti-heat blackout blind – comfort day and night

The Anti-heat blackout blind's durable, light-tight fabric blocks heat and daylight effectively, allowing you to dim the living room for a movie night or black out the bedroom for a good night's sleep.



Anti-heat blackout shutter – complete year-round comfort

The Anti-heat blackout shutter's sturdy exterior provides the best heat protection and blackout capabilities, enabling you to stay cool in summer, effectively insulate your home in winter and sleep soundly through stormy nights.

Read more about the full range on page 20.

5-year guarantee on all shutters and automated anti-heat blinds, 3 years on manual anti-heat blinds.

Select your level of comfort

From manual to fully automated blinds and shutters



Enjoy seamless remote control with VELUX solar or electric blinds and shutters



Upgrade your VELUX solar or electric blinds and shutters with **VELUX Intelligent home control** solutions for smartphone control and fully automated heat protection

Manual operation

Simple hands-on solution

Your manual VELUX blinds come with a clever and discreet control bar that lets you adjust the blind comfortably.

The blind runs smoothly and can be positioned anywhere on the roof window.



Remote-controlled

Smarter controls with VELUX solar or electric blinds and shutters

Choose VELUX solar or electric blinds and shutters to simplify your home living. These products come with a ready-to-use Wall Switch for remote operation, and they can easily be upgraded with a range of intelligent home control solutions to cover everyone's needs.



Select VELUX solar blinds and shutters for your manual or solar roof window. Installation is easy because there's no need to run cables.



Select VELUX electric blinds and shutters for your electric roof windows.



Intelligent home control

Let intelligent home control take care of your indoor climate

Unlock the full potential of your solar or electric blinds and shutters with VELUX Intelligent home control solutions.

VELUX Touch makes it easy to control multiple VELUX solar or electric roof windows, blinds and shutters, with no dependency on Wi-Fi.

VELUX App Control lets you control your VELUX solar or electric products right from your phone – at home or on the go.

VELUX ACTIVE with NETATMO automatically improves your indoor climate and offers seamless control of your VELUX solar or electric products by smartphone or voice commands. To shield your home from excessive heat, you can simply let the system rely on the built-in indoor climate sensors and live weather forecast for automatic operation of your anti-heat blinds and shutters.

See more on the page 14 or at velux.ie/smarthome

Easy control options for your VELUX solar and electric products

Our controls make it easy for you to adjust your roof windows, blinds and shutters with the simple touch of a switch or your smartphone. Say goodbye to manual adjustments and experience the easy way of managing your roof windows, blinds and shutters.



Basic Wall Switch

VELUX Wall Switch

The Wall Switch lets you conveniently open, stop and close VELUX solar and electric products.

- Allows control of one product per switch.

Included with the purchase of any VELUX solar or electric product



Multiple product switch

VELUX Touch

VELUX Touch makes it easy to feel perfectly comfortable at home by ensuring every solar or electric roof window, blind and shutter is always within easy reach. Let in a cool breeze when you need a breath of fresh air, shield your home from the midday sun or close the blinds for a movie night – all with a single master switch.

- Control multiple VELUX solar and electric products in the home.
- 15-minute ventilation timer.

VELUX Touch		
KLR 300	VELUX Touch	130.38

All prices in EUR (€)
Price shown is incl. VAT.



VELUX App

VELUX App Control

VELUX App Control gives you full control of all your VELUX solar or electric products, right from your smartphone. Open and close your roof windows, blinds and shutters with a single swipe or group your VELUX solar or electric products for combined control. Share VELUX App Control with the whole household and keep every roof window within reach – both at home and on the go.

- Control of multiple VELUX solar or electric products in the home.
- 15-minute ventilation timer and scheduling.
- Personalised home control from anywhere.

Upgrade to VELUX ACTIVE with NETATMO
You can upgrade from VELUX App Control to VELUX ACTIVE with NETATMO by purchasing only the VELUX ACTIVE indoor climate sensor (KLA 300)

VELUX App Control		
KIG 300	VELUX App Control Internet gateway	121.77

All prices in EUR (€)
Price shown is incl. VAT.



VELUX App with sensor

VELUX ACTIVE with NETATMO

VELUX ACTIVE is an intelligent home solution that links your solar or electric products together, allowing your roof windows to let in fresh air, whilst blinds and shutters automatically shield your home from excessive heat. Effortlessly monitor the temperature, humidity and CO₂ levels in your home, while controlling it all with the VELUX ACTIVE app.

- Automatic ventilation and heat protection.
- Control of multiple VELUX solar or electric products in the home.
- 15-minute ventilation timer and scheduling.
- Personalised home control from anywhere.

VELUX ACTIVE		
KIX 300	VELUX ACTIVE package (VELUX gateway, departure switch, indoor climate sensor)	244.77
Additional components		
KLA 300	VELUX ACTIVE indoor climate sensor	89.79
KLN 300	VELUX ACTIVE departure switch	60.27

All prices in EUR (€)
Price shown is incl. VAT.



iPhone, iPod and iPad are registered trademarks of Apple Inc. Registered in the US and other countries. HomeKit is a trademark of Apple Inc. Google and Google Play are trademarks of Google LLC.



Installing your genuine VELUX blinds is easier than you think

Install your genuine VELUX blinds in 15 minutes

Installing VELUX blinds requires no measuring, trimming, cutting or extra tools. They are made for a perfect fit and everything you need is included in the box.

No need to cut or trim – just click on

Your VELUX roof windows have pre-installed mounting brackets for your blinds. Simply click on the original VELUX blind and add the side channels provided.

No need to measure

You can find your roof window's type and size on the roof window sash – see how on page 48. Then you can be sure that your new blind fits your roof window perfectly without having to take any measurements.

Easily replace your old blinds

It is straightforward to replace tired blinds with new ones from VELUX. You can still order blinds that fit almost every generation of VELUX roof window.





Block the heat on the outside
of your roof windows
with VELUX Heat protection
and keep your home cool
on hot days and nights

Outdoor protection, indoor comfort

Our wide range of VELUX Heat protection products effectively help you to protect your home from overheating, allowing you to enjoy a comfortable indoor temperature. Our solar products use daylight energy as their power source, eliminating the need for wiring and offering a seamless installation from inside the room.

Temperature control

Create a shield between the sun's rays and your roof windows, to prevent the direct sunlight from entering your home. This helps to keep the indoor temperature cooler, reducing the need for air conditioning and lowering energy costs.

Durability and longevity

Crafted from high-quality materials, our anti-heat blinds and shutters are designed to withstand the harshest weather conditions, whilst maintaining their functionality and visual appeal for years to come.

Easy installation

Designed to seamlessly match your VELUX roof windows, our products offer a hassle-free installation. With installation taking place from inside the room, you'll have your new anti-heat blinds or shutters up in no time!

Discover the exterior blind or shutter that best meets the needs of your home.

Anti-heat blackout shutter

Heat protection, blackout and insulation

See more on page 21



Heat protection	● ● ● ●
Blackout	● ● ● ●
Insulation	● ●
Noise reduction	● ● ●
Burglary prevention	● ● ●

Anti-heat blackout blind

Heat protection and blackout

See more on page 22



Heat protection	● ● ●
Blackout	● ● ●
Insulation	●
Noise reduction	● ● ●
Burglary prevention	●

Anti-heat blind

Heat protection and transparency


See more on page 23



Heat protection	● ●
Blackout	
Insulation	
Noise reduction	● ● ●
Burglary prevention	



Reduce solar heat by up to 96%



Aluminium profiles: 0000

Indoor climate

Heat protection, blackout and insulation

Heat protection	● ● ● ●
Blackout	● ● ● ●
Insulation	● ●
Noise reduction	● ● ●
Burglary prevention	● ● ●

Intelligent home control

Combine your VELUX solar and electric products with our intelligent home control solutions for multiple product operation, scheduling and automation.

Read more on page 14.

Anti-heat blackout shutter

Take full control of your indoor comfort with the superior heat protection and blackout offered by the VELUX Anti-heat blackout shutter. The ideal choice for year-round protection. The sturdy aluminium shield exterior offers the very best outdoor protection.

- All-in-one protection.
- Best heat protection and sun screening.

- Excellent blackout.
- Effective winter insulation.
- Rain noise reduction.
- Effective protection of roof window and from break-ins.
- Available with solar-power or electric operation, including app and remote control.
- Can be combined with a decorative interior blind and an insect screen.


Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm	55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
Solar SSL	730.62	730.62	779.82	804.42	838.86	829.02	870.84	920.04	895.44	996.30	1,045.50	1,011.06	1,003.68	1,168.50
Electric SML	548.58	548.58	585.48	605.16	629.76	624.84	654.36	691.26	674.04	747.84	784.74	760.14	755.22	878.22
Electric SMH*	-	-	-	-	880.68	-	917.58	969.24	-	1,047.96	-	1,065.18	-	-
Window size					FFK06	FFK08	FMK06	FMK08	FPK06	FPK08	MMK06	MMK08	FFK06	FFK08
					127×118	127×140	139×118	139×140	155×118	155×140	151×118	151×140	188×118	188×140
Solar SSLs for 3in1 and 2in1**					1,763.82	1,832.70	1,798.26	1,885.59	1,876.98	1,964.31	1,832.70	1,938.48	2,645.73	2,749.05

KUX 110 control system is needed if you install a SML to a manually operated VELUX roof window. SSL, SML and SMH can be installed on roof windows one above the other, at least 25cm apart and on windows next to each other at least 10cm apart.

* SMH is designed for VELUX electric top-hung roof windows.

** For installation on solar-powered roof windows size F one (or two) dual solar switch(es) ZOZ 246 must be added - read more on page 49.

All prices in EUR (€)
Price shown is incl. VAT.



Solid blackout fabric
0000

Indoor climate

- Heat protection and blackout.

Heat protection	● ● ●
Blackout	● ● ●
Insulation	●
Noise reduction	● ● ●
Burglary prevention	●

Intelligent home control

Combine your VELUX solar and electric products with our intelligent home control solutions for multiple product operation, scheduling and automation.

Read more on page 14.

Reduce solar heat
by up to 94%



Anti-heat blackout blind

Beat the heat with this effective combination. VELUX Anti-heat blackout blind blocks heat and light, making it ideal for those who want to stay comfortable indoors on hot days and sleep better on warm nights. It is solar powered and easy to install with no need for wiring.

- Rain noise reduction.
- Tough, durable polyester fabric.
- Available with solar-powered operation, including both app and remote control.
- Easy self-installation from inside the room.
- Can be combined with a decorative interior blind and an insect screen.

- Effective combination.
- Great heat protection.
- Blocks out light.

Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm	55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
	521.52	521.52	555.96	575.64	597.78	592.86	622.38	656.82	639.60	710.94	745.38	723.24	715.86	836.40
Window size														
			1,195.56	1,244.76	1,220.16	1,280.43	1,273.05	1,333.32	1,244.76	1,316.10	1,793.34	1,867.14		

For old VELUX roof window generations (VES), a ZOZ 238 installation kit set is needed.
For VELUX electric top-hung roof windows, a ZOZ 229S kit set is needed.
* For installation on solar-powered roof windows size C or F one (or two) dual solar switch(es) ZOZ 246 must be added - read more on page 49.

All prices in EUR (€)
Price shown is incl. VAT.



Transparent fabric
5060

Indoor climate

- Heat protection and transparency

Heat protection	● ●
Blackout	
Insulation	
Noise reduction	● ● ●
Burglary prevention	

Intelligent home control

Combine your VELUX solar and electric products with our intelligent home control solutions for multiple product operation, scheduling and automation.

Read more on page 14.

Reduce solar heat
by up to 78%



Anti-heat blind

Keeps your indoors cool and comfortable all day with VELUX Anti-heat blinds that block incoming heat before it ever hits your VELUX roof windows. The ideal choice for home offices or living rooms where you want cooler temperatures and to reduce glare on sunny days.

- Rain noise reduction.
- Available with solar-power or electric operation, including app and remote control.
- Easy self-installation from inside the room.
- Can be combined with a decorative interior blind and an insect screen.

- Effective heat reduction.
- Transparent fabric - lets in light and retains the view to the outside.

Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm	55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
	460.02	460.02	492.00	509.22	528.90	523.98	551.04	586.71	565.80	629.76	659.28	639.60	634.68	738.00
	410.82	410.82	440.34	452.64	472.32	467.40	492.00	519.06	504.30	560.88	590.40	570.72	565.80	659.28
	73.80	73.80	73.80	73.80	86.10	93.48	93.48	93.48	108.24	108.24	108.24	120.54	130.38	130.38
Window size														
			1,057.80	1,099.62	1,078.71	1,131.60	1,126.68	1,178.34	1,099.62	1,163.58	1,586.70	1,649.43		

For old VELUX roof window generations (VES), a ZOZ 238 installation kit set is needed.
For VELUX electric top-hung roof windows, a ZOZ 229S kit set is needed.

KUX 110 control system is needed if you install an MML to a manually operated VELUX roof window.
* For installation on solar-powered roof windows size C or F one (or two) dual solar switch(es) ZOZ 246 must be added - read more on page 49.

All prices in EUR (€)
Price shown is incl. VAT.

Combine interior and exterior blinds for optimal comfort

Save up to 10% on double packs

Find your perfect pairing with a manual Interior blind and exterior Anti-heat blind.


- Combine a manual Interior blind and exterior Anti-heat blind and enjoy double the benefit, for less.
- Interior blinds are available in 4 standard colours and in 2 side rail options - white or brushed aluminium.
- Manual Anti-heat blind comes with simple-to-handle hook fixing for positioning on the outside of your roof window.
- Transparent fabric lets in light and retains the view to the outside.
- Easy self-installation from the inside.



Heat protection plus blackout (DOP)



Anti-heat blind + Blackout roller blind

Colour options




Heat protection plus blackout and insulation (FOP)

Anti-heat blind + Blackout energy pleated blind



Heat protection plus light dimming (ROF)

Anti-heat blind + Translucent roller blind




Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08	
Sizes (w×h) cm	55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140	
	□	□	□	□	□	□	□	□	□	□	□	□	□	□	
Manual operation	DOP	157.44	157.44	163.59	172.20	190.65	194.34	200.49	210.33	221.40	238.62	247.23	254.61	266.91	289.05
	FOP	183.27	183.27	193.11	204.18	223.86	225.09	236.16	247.23	258.30	280.44	291.51	298.89	313.65	343.17
	ROF	157.44	157.44	163.59	172.20	190.65	194.34	200.49	210.33	221.40	238.62	247.23	254.61	266.91	289.05

To order the blind with white side rails, simply add WL to the end of your product code.

All prices in EUR (€)
Price shown is incl. VAT.


Set the scene for
daytime living
and restful nights
with VELUX blinds





Colour options

Standard colours



Trend colours



Translucent roller blind

VELUX Translucent roller blinds provide basic privacy whilst still allowing in natural light. Perfect for living rooms, offices and playrooms.

- Softens incoming light and provides privacy.
- Available with white or brushed aluminium side rails.
- Available in solar, electric or manual operation.
- Combine your manual blind with an Anti-heat blind and save 10%. Read more on page 24.

Installation

- Quick and easy installation with pre-fitted brackets.

Intelligent home control

Combine your VELUX solar and electric products with our intelligent home control solutions for multiple product operation, scheduling and automation.

Read more on page 14.

Certifications

- Standard 100 by OEKO-TEX (1076-184) – contains no harmful substances.
- STeP by OEKO-w TEX (22002567) – sustainable textile production.

Most sold window sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm		55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
		□	□	□	□	□	□	□	□	□	□	□	□	□	□
Solar RSL	Standard	228.78	228.78	236.16	246.00	253.38	250.92	258.30	268.14	265.68	285.36	295.20	290.28	295.20	319.80
	Trend	246.00	246.00	253.38	263.22	270.60	268.14	275.52	285.36	282.90	302.58	312.42	307.50	312.42	337.02
Electric RML	Standard	216.48	216.48	223.86	233.70	241.08	238.62	246.00	255.84	253.38	273.06	282.90	277.98	282.90	307.50
	Trend	233.70	233.70	241.08	250.92	258.30	255.84	263.22	273.06	270.60	290.28	300.12	295.20	300.12	324.72
Manual RFL	Standard	100.86	100.86	108.24	118.08	125.46	123.00	130.38	140.22	137.76	157.44	167.28	162.36	167.28	191.88
	Trend	118.08	118.08	125.46	135.30	142.68	140.22	147.60	157.44	154.98	174.66	184.50	179.58	184.50	209.10

KUX 110 control system is needed if you install a RML to a manually operated VELUX roof window. To order the blind with white side rails, simply add WL to the end of your product code.


All prices in EUR (€)
Price shown is incl. VAT.





Colour options

Standard colours



Trend colours



Blackout roller blind

The VELUX Blackout roller blind provides darkness anytime, ideal for bedrooms to ensure a good night's sleep or a daytime nap.

- Excellent blackout.
- Available with white or brushed aluminium side rails.
- Available in solar, electric or manual operation.
- Combine your manual blind with an Anti-heat blind and save 10%. Read more on page 24.

Installation

- Quick and easy installation with pre-fitted brackets.

Intelligent home control

Combine your VELUX solar and electric products with our intelligent home control solutions for multiple product operation, scheduling and automation.

Read more on page 14.


Certifications

- Standard 100 by OEKO-TEX (1076-184) – contains no harmful substances.
- STeP by OEKO-TEX (22002567) – sustainable textile production.

Most sold window sizes		CK01	CK02	CK04	CK06	FK06	MK04	MK06	MK08	PK04	PK08	PK10	SK06	UK04	UK08
		C01	C02	C04	C06	F06	M04	M06	M08	P04	P08	P10	S06	U04	U08
Sizes (w×h) cm		55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
Solar DSL	Standard	228.78	228.78	236.16	246.00	253.38	250.92	258.30	268.14	265.68	285.36	295.20	290.28	295.20	319.80
	Trend	246.00	246.00	253.38	263.22	270.60	268.14	275.52	285.36	282.90	302.58	312.42	307.50	312.42	337.02
Electric DML	Standard	216.48	216.48	223.86	233.70	241.08	238.62	246.00	255.84	253.38	273.06	282.90	277.98	282.90	307.50
	Trend	233.70	233.70	241.08	250.92	258.30	255.84	263.22	273.06	270.60	290.28	300.12	295.20	300.12	324.72
Manual DKL	Standard	100.86	100.86	108.24	118.08	125.46	123.00	130.38	140.22	137.76	157.44	167.28	162.36	167.28	191.88
	Trend	118.08	118.08	125.46	135.30	142.68	140.22	147.60	157.44	154.98	174.66	184.50	179.58	184.50	209.10


KUX 110 control system is needed if you install a DML to a manually operated VELUX roof window. To order the blind with white side rails, simply add WL to the end of your product code.

All prices in EUR (€) Price shown is incl. VAT.



Colour options

Standard colours




Trend colours



Duo blackout roller blind

VELUX Duo blackout roller blind is a blackout roller and a translucent pleated blind in one. It offers the best of both worlds - blackout at night and softly diffused light during the day.

- Two ways to control light in one solution – excellent blackout to darken the room or soften incoming light.
- Choose any colour blackout roller blind combined with white pleated blind (1016).
- Available with white or brushed aluminium side rails.
- Available with manual operation.
- Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 20.



Installation

- Quick and easy installation with pre-fitted brackets.

Certifications


- Standard 100 by OEKO-TEX (1076-184) – contains no harmful substances.
- STeP by OEKO-TEX (22002567) – sustainable textile production.

Most sold window sizes		CK01	CK02	CK04	CK06	FK06	MK04	MK06	MK08	PK04	PK08	PK10	SK06	UK04	UK08
		C01	C02	C04	C06	F06	M04	M06	M08	P04	P08	P10	S06	U04	U08
Sizes (w×h) cm		55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
Manual DFD	Standard	130.38	130.38	140.22	152.52	162.36	157.44	169.74	182.04	179.58	204.18	216.48	211.56	218.94	250.92
	Trend	147.60	147.60	157.44	169.74	179.58	174.66	186.96	199.26	196.80	221.40	233.70	228.78	236.16	268.14

To order the blind with white side rails, simply add WL to the end of your product code.

All prices in EUR (€) Price shown is incl. VAT.

CO₂ reduced
with recycled
materials



Translucent roller blind RFY



Blackout roller blind DKY

Colour options

Blackout roller blind DKY



Forest
4901

Marsh
4902



Lake
4903


Cave
4904

Translucent roller blind RFY



Clouds
4951

Dunes
4952



Woods
4953

Cliffs
4954

Nature collection

For design and environmentally conscious consumers, our Nature collection blinds come in a range of colours that allow you to bring the peace and tranquillity of nature directly into your home. Primarily made from recycled materials, which halves their carbon footprint compared with other collections, they are the natural choice for getting the most out of your VELUX roof windows.

Blackout roller blind DKY

- Excellent blackout to darken the room.

Translucent roller blind RFY

- Softens incoming light and provides privacy.

Blackout roller blind DKY and Translucent roller blind RFY

- Available with white or brushed aluminium side rails.
- Available with manual operation.
- Combine with an exterior anti-heat blind or shutter for effective heat protection. Read more on page 20.

Installation

- Quick and easy installation with pre-fitted brackets.


Certifications

- Standard 100 by OEKO-TEX (2276-378) – contains no harmful substances.
- STeP by OEKO-TEX (22002567) – sustainable textile production.
- Our products hold verified EPD certificates complying with the European Standard EN 15804+A2.


Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm	55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
Manual operation	DKY 118.08	DKY 118.08	DKY 125.46	DKY 135.30	DKY 142.68	DKY 140.22	DKY 147.60	DKY 157.44	DKY 154.98	DKY 174.66	DKY 184.50	DKY 179.58	DKY 184.50	DKY 209.10
	RFY 118.08	RFY 118.08	RFY 125.46	RFY 135.30	RFY 142.68	RFY 140.22	RFY 147.60	RFY 157.44	RFY 154.98	RFY 174.66	RFY 184.50	RFY 179.58	RFY 184.50	RFY 209.10

To order the blind with white side rails, simply add WL to the end of your product code.

All prices in EUR (€)
Price shown is incl. VAT.



Colour options



Children's collection

The greatest adventures start with a good night's sleep. VELUX Children's collection blinds feature inspirational and cheerful designs made for kids' rooms. Available as Blackout blind or as Duo blackout blind that combines blackout and light dimming in one solution.

Blackout roller blind DKL

- Excellent blackout to darken the room.

Duo blackout roller blind DFD

- Two ways to control light in one solution – blackout the room completely or soften incoming light.
- Choose any Children's collection Blackout roller blind combined with white pleated blind (1016).

Blackout roller blind DKL and Duo blackout roller blind DFD

- Available with white or brushed aluminium side rails.
- Available with manual operation.

Installation

- Quick and easy installation with pre-fitted brackets.


Certifications

- Standard 100 by OEKO-TEX (1076-184) – contains no harmful substances.
- STeP by OEKO-TEX (22002567) – sustainable textile production.

Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm	55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
Manual operation	DKL 118.08	DKL 118.08	DKL 125.46	DKL 135.30	DKL 142.68	DKL 140.22	DKL 147.60	DKL 157.44	DKL 154.98	DKL 174.66	DKL 184.50	DKL 179.58	DKL 184.50	DKL 209.10
	DFD 147.60	DFD 147.60	DFD 157.44	DFD 169.74	DFD 179.58	DFD 174.66	DFD 186.96	DFD 199.26	DFD 196.80	DFD 221.40	DFD 233.70	DFD 228.78	DFD 236.16	DFD 268.14


To order the blind with white side rails, simply add WL to the end of your product code.

All prices in EUR (€)
Price shown is incl. VAT.



Colour options

Standard colours



Installation

- Quick and easy installation with pre-fitted brackets.

Basic blackout blind

The VELUX Basic blackout blind is a good alternative for roof windows manufactured before 2014. Ideal if you simply want to replace your old blind with a cost-effective solution.

- Blackout effect.
- Stepless positioning.
- Only available for VELUX roof windows manufactured before 2014.
- Available in 4 colours and comes with a 2-year guarantee.
- Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 20.

Most sold window sizes	C02	C04	F06	M04	M06	M08	P08	S06	U04	U08	
Sizes (w×h) cm	55×78	55×98	66×118	78×98	78×118	78×140	94×140	114×118	134×98	134×140	
Manual operation	DBL	68.88	73.80	88.56	86.10	91.02	98.40	110.70	113.16	118.08	135.30

All prices in EUR (€)
Price shown is incl. VAT.



Installation

- Quick and easy installation on VELUX roof windows.

Intelligent home control

Combine your VELUX solar and electric products with our intelligent home control solutions for multiple product operation, scheduling and automation.

Read more on page 14.

Certifications

- Standard 100 by OEKO-TEX (1076-184) – contains no harmful substances.
- STeP by OEKO-TEX (22002567) – sustainable textile production.

Colour by You

The Colour by You collection lets you customise your roller blinds. Choose from thousands of colours to create the look that you've been dreaming of. Get inspired by trying the colour selection tool at veluxshop.ie and start customising your blinds today. Available for Translucent roller blind (RFL, RML, RSL), Blackout roller blind (DKL, DML, DSL) and Duo blackout roller blind (DFD). All with a choice of white or brushed aluminium side rails.

- Available in solar, electric or manual operation.
- Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 20.

Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08	
Sizes (w×h) cm	55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140	
Solar	RSL	246.00	246.00	253.38	263.22	270.60	268.14	275.52	285.36	282.90	302.58	312.42	307.50	312.42	337.02
	DSL	246.00	246.00	253.38	263.22	270.60	268.14	275.52	285.36	282.90	302.58	312.42	307.50	312.42	337.02
Electric	RML	233.70	233.70	241.08	250.92	258.30	255.84	263.22	273.06	270.60	290.28	300.12	295.20	300.12	324.72
	DML	233.70	233.70	241.08	250.92	258.30	255.84	263.22	273.06	270.60	290.28	300.12	295.20	300.12	324.72
Manual operation	RFL	118.08	118.08	125.46	135.30	142.68	140.22	147.60	157.44	154.98	174.66	184.50	179.58	184.50	209.10
	DKL	118.08	118.08	125.46	135.30	142.68	140.22	147.60	157.44	154.98	174.66	184.50	179.58	184.50	209.10
	DFD	147.60	147.60	157.44	169.74	179.58	174.66	186.96	199.26	196.80	221.40	233.70	228.78	236.16	268.14

To order the blind with white side rails, simply add WL to the end of your product code.

All prices in EUR (€)
Price shown is incl. VAT.

VELUX pleated blinds

A stylish layer of privacy that either softens or blocks daylight entirely





Colour options

Standard colours




1016 1274 1259 1282


Trend colours



1276 1277 1278 1279



1280 1281 1256 1275



1283 1284 1285 1286

Translucent pleated blind

The VELUX Translucent pleated blind is a decorative solution that provides privacy whilst diffusing soft natural light into your room. Adjust the blind from both the top and the bottom of the roof window* to let in exactly the right amount of light.

- Softens incoming light and provides privacy.
- A flying blind design that can be placed anywhere on the roof window.*
- Available with white or brushed aluminium side rails.
- Available in solar, electric or manual operation.
- Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 20.

Installation

- Quick and easy installation with pre-fitted brackets.

Intelligent home control

Combine your VELUX solar and electric products with our intelligent home control solutions for multiple product operation, scheduling and automation.

Read more on page 14.

Certifications


- Standard 100 by OEKO-TEX (1076-184) – contains no harmful substances.
- STeP by OEKO-TEX (22002567) – sustainable textile production.

Most sold window sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm		55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
		□	□	□	□	□	□	□	□	□	□	□	□	□	□
Solar FSL	Standard	243.54	243.54	250.92	263.22	273.06	268.14	277.98	287.82	287.82	307.50	319.80	314.88	322.26	349.32
	Trend	260.76	260.76	268.14	280.44	290.28	285.36	295.20	305.04	305.04	324.72	337.02	332.10	339.48	366.54
Electric FML	Standard	231.24	231.24	238.62	250.92	260.76	255.84	265.68	275.52	275.52	295.20	307.50	302.58	309.96	337.02
	Trend	248.46	248.46	255.84	268.14	277.98	273.06	282.90	292.74	292.74	312.42	324.72	319.80	327.18	354.24
Manual FHL	Standard	115.62	115.62	123.00	135.30	145.14	140.22	150.06	159.90	159.90	179.58	191.88	186.96	194.34	221.40
	Trend	132.84	132.84	140.22	152.52	162.36	157.44	167.28	177.12	177.12	196.80	209.10	204.18	211.56	238.62

KUX 110 control system is needed if you install a FML to a manually operated VELUX roof window.
To order the blind with white side rails, simply add WL to the end of your product code.
* Manual version only


All prices in EUR (€)
Price shown is incl. VAT.





Colour options

Standard colours



Trend colours



Blackout energy pleated blind

VELUX Blackout energy pleated blinds provide both blackout and insulation. Perfect for bedrooms that need blackout at night and extra insulation. Adjust the blind from both the top and the bottom of the roof window* to let in exactly the right amount of light.

- Blackout for a great night's sleep or a nap during the day.
- Insulation for increased comfort.
- A flying blind design that can be placed anywhere on the roof window.*
- Available with white or brushed aluminium side rails.
- Available in solar, electric or manual operation.
- Combine your manual blind with a manual Anti-heat blind and save 10%. Read more on page 24.

Installation

- Quick and easy installation with pre-fitted brackets.

Intelligent home control

Combine your VELUX solar and electric products with our intelligent home control solutions for multiple product operation, scheduling and automation.

Read more on page 14.


Certifications

- Standard 100 by OEKO-TEX (1076-184) – contains no harmful substances.
- STeP by OEKO-TEX (22002567) – sustainable textile production.

Most sold window sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm		55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
	Standard	258.30	258.30	268.14	280.44	290.28	285.36	297.66	309.96	307.50	332.10	344.40	339.48	346.86	378.84
	Trend	275.52	275.52	285.36	297.66	307.50	302.58	314.88	327.18	324.72	349.32	361.62	356.70	364.08	396.06
	Standard	246.00	246.00	255.84	268.14	277.98	273.06	285.36	297.66	295.20	319.80	332.10	327.18	334.56	366.54
	Trend	263.22	263.22	273.06	285.36	295.20	290.28	302.58	314.88	312.42	337.02	349.32	344.40	351.78	383.76
	Standard	130.38	130.38	140.22	152.52	162.36	157.44	169.74	182.04	179.58	204.18	216.48	211.56	218.94	250.92
	Trend	147.60	147.60	157.44	169.74	179.58	174.66	186.96	199.26	196.80	221.40	233.70	228.78	236.16	268.14


KUX 110 control system is needed if you install an FMC to a manually operated VELUX roof window. To order the blind with white side rails, simply add WL to the end of your product code. * Manual version only

All prices in EUR (€) Price shown is incl. VAT.



Colour options

Standard colours



Venetian blind

This classic solution for light dimming and privacy is perfect for bathrooms and kitchens. It is moisture resistant and easy to clean.

- Preserves your view while providing privacy.
- Cordless operation.
- Available with white or brushed aluminium side rails.
- Available with manual operation.
- Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 20.

Installation

- Quick and easy installation with pre-fitted brackets.

Details

- Unique and discreet tilt mechanism makes it very easy to alter the slats.

Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm	55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140



Manual PAL	Standard	130.38	130.38	140.22	152.52	162.36	157.44	169.74	182.04	179.58	204.18	216.48	211.56	218.94	250.92
------------	----------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------

To order the blind with white side rails, simply add WL to the end of your product code.


All prices in EUR (€)
Price shown is incl. VAT.



Insect screen

Enjoy fresh air without the unwanted visitors with a VELUX Insect screen. The screen is simple to operate, and can be combined with any other VELUX interior or exterior blind. It has transparent net fabric and stows neatly away in the slim top casing when not in use.

- 100% insect-proof material.
- Transparent net fabric does not obstruct your view.
- Durable, wind-resistant fabric for long-lasting performance.
- Standard 100 by OEKO-TEX (1076-184) – contains no harmful substances.
- STeP by OEKO-TEX (22002567) – sustainable textile production.



Determine the correct size

- Measure the inner wall width (A) and height (B) to find the size code and price of your insect screen in the table below.
- If you have two heights (B) or heights above 2400mm – two insect screens and one connector set ZOZ 157 SWL are needed.
- **IMPORTANT:** Insect screen size codes may differ from window size code, please measure (A) and (B) and find correct size code in the table below before ordering.

Installation


- Quick and easy installation.

	0-438mm	439-530mm	531-640mm	641-760mm	761-922mm	923-1120mm	1121-1285mm
0-1600mm	ZIL BK04 150.06	ZIL CK02 140.22	ZIL FK08 184.50	ZIL MK06 184.50	ZIL PK25 225.09	ZIL SK06 228.78	ZIL UK04 234.93
1601-2000mm	SPECIAL ORDER	ZIL CK06 164.82	ZIL FK08 184.50	ZIL MK06 184.50	ZIL PK06 201.72	ZIL SK06 228.78	ZIL UK10 282.90
2001-2400mm	SPECIAL ORDER	SPECIAL ORDER	ZIL FK08 184.50	ZIL MK10 220.17	ZIL PK10 233.70	ZIL SK10 265.68	ZIL UK10 282.90

All prices in EUR (€)
Price shown is incl. VAT.



Anti-heat blind (MSU)



5070




Blackout blind (DSU)



4550



Insect screen (ZIU)



0000

New generation

Blinds for curved and flat glass rooflights

Anti-heat blind

The Anti-heat blind provides light dimming and heat protection to maintain a cool and comfortable room. The blind is discreetly placed inside the rooflight, and is easily installed from the roof when installing the window.

- Reduces overheating.
- Semi-transparent fabric for light control and sky view.
- Solar-powered blind with remote control.
- Not compatible with Blackout blind.

Blackout blind

VELUX Blackout blind for glass rooflights blocks outside light anytime and is perfect for bedrooms. It is discreetly placed inside the rooflight and easily installed from the roof when installing the window.

- Perfect sleep – day or night.
- 99.9% blackout.
- Great for bedrooms and media rooms.
- Solar-powered blind with remote control.
- Not compatible with Anti-heat blind.

Insect screen

VELUX Insect screen for glass rooflights lets you enjoy fresh air and a view to the sky without the distraction of insects. It comes in a contemporary white design and is easy to install and simple to remove for cleaning.

- Fresh air and 100% insect-proof.
- Durable, transparent net fabric does not obstruct your view.
- Can be combined with an Anti-heat blind or a Blackout blind.




Most sold window sizes		060060	080080	090060	090090	100100	120090	120120	150080	150100	150120	150150	200060	200100	
Sizes (w×h) cm		60×60	80×80	90×60	90×90	100×100	120×90	120×120	150×80	150×100	150×120	150×150	200×60	200×100	
	Solar MSU	Anti-heat blind	503.07	525.21	514.14	536.28	547.35	574.41	596.55	563.34	601.47	623.61	683.88	612.54	715.86
	Solar DSU	Blackout blind	503.07	525.21	514.14	536.28	547.35	574.41	596.55	563.34	601.47	623.61	683.88	612.54	715.86
	Manual ZIU	Insect screen	116.85	121.77	119.31	124.23	126.69	132.84	137.76	130.38	138.99	143.91	158.67	141.45	166.05

Solar MSU and DSU can be combined with our intelligent home control solutions for multiple product operation, scheduling and automation. Read more about these solutions on page 14.

All prices in EUR (€)
Price shown is incl. VAT.



Anti-heat blind




6090



Blackout energy pleated blind



1045



1047



Blinds for dome with glazing*

Anti-heat blind

VELUX Anti-heat blind provides light dimming and heat protection so your indoor temperature stays cool and comfortable. This makes it perfect for living rooms with activity during the day.

- Reduces solar heating.
- Semi-transparent fabric lets in natural light.
- Available with solar-powered operation, including app and remote control.

Blackout energy pleated blind

VELUX Blackout energy pleated blind for flat roof windows darkens the room and protects against cold. This makes it the ideal choice for bedrooms and living rooms.

- Blackout and insulating effect.
- Available with solar-power or electric operation, including app and remote control.
- Standard 100 by OEKO-TEX® (1076-184 DTI) – contains no harmful substances.
- STeP by OEKO-TEX® – sustainable textile production.

* Also compatible with curved and flat glass roof windows bought before April 2022. Solar-powered blinds are not compatible with opaque top unit.

Most sold window sizes		060060	060090	080080	090090	100100	090120	120120	100150	150150	
Sizes (w×h) cm		60×60	60×90	80×80	90×90	100×100	90×120	120×120	100×150	150×150	
	Solar MSG	Anti-heat blind	413.28	421.89	431.73	440.34	444.03	457.56	466.17	476.01	-
	Solar FSK	Blackout energy pleated blind	407.13	416.97	425.58	434.19	437.88	451.41	460.02	468.63	552.27
	Electric FMK	Blackout energy pleated blind	378.84	387.45	396.06	403.44	408.36	420.66	428.04	436.65	514.14

Solar MSG is not compatible with ISD 2093.
Solar MSG and FSK and electric FMG and FMK can be combined with our intelligent home control solutions for multiple product operation, scheduling and automation.

All prices in EUR (€)
Price shown is incl. VAT.

Order your new VELUX blind or shutter in five easy steps

1

Locate your roof window type and size

Find your roof window type and size by checking the type sign placed either on the left or right side of the roof window frame when it is open.

See picture below for placement of type sign.

2

Select blind or shutter type

Decide on the type of blind or shutter: blackout, light adjustment, heat protection, etc.

3

Select operation

Select solar, electric or manual operation, depending on the placement and type of roof window.

4

Select colour

Each of our blind colours has its own colour code, which you can see on the respective blind pages.


You can order free fabric samples at velushop.ie

Please note: Precise colour may vary from the printed samples.


5

Place your order

Order on velushop.ie, or by speaking to one of our dealers or a customer service representative.



Extras for your blinds and shutters



Rod control

ZCZ 080
80cm

ZCT 200 telescopic
100-180cm

The rod makes it easy to operate out-of-reach manual blinds.



Rod adaptor

ZOZ 085


Adaptor for manual blinds with control bars supports easy operation with the rod.



Mounting brackets

ZOZ 230

For installation of blinds on older VELUX roof windows without pre-installed mounting brackets.



Installation kit

ZOZ 238

For installation of anti-heat blackout blinds and electric anti-heat blinds (SSS, MSL or MML) on VELUX roof windows from before 2001.



Installation kit

ZOZ 229S

For installation of anti-heat blackout blinds and electric anti-heat blinds (SSS, MSL or MML) on VELUX electric top-hung roof windows.



Dual solar switch

ZOZ 246

Dual solar switch allows charging of both shutters and anti-heat blinds on solar-powered VELUX roof windows. Dual solar switch is required if the shutter or anti-heat blind is size C or F and installed on a solar-powered VELUX roof window.

Customer service

Could you use some advice when selecting your blind, or do you have a question about a particular product? Whatever your question, we're here to help and strive to respond promptly to all requests.

 velux.ie
 **01 816 1620**
 sales@velux.ie

VELUX Company Ltd
Regus Santry
Block B
The Crescent Building
Northwood
Santry
Dublin
DO9 C6X8
Ireland

Tel: 01 816 1620

Email: sales@velux.ie

Website: velux.ie

 facebook.com/VELUXGBI

 twitter.com/VELUXGBI

 pinterest.com/VELUXGBI

 instagram.com/VELUX

