

**VELUX®**

# Blinds and shutters

UK Price List (Includes VAT)  
Valid from 1<sup>st</sup> March 2025  
[veluxblindsdirect.co.uk](http://veluxblindsdirect.co.uk)



### Contact us

If you need more information or technical support, we are here to help.

Telephone: 01592 778 225  
E-mail: [sales@velux.co.uk](mailto:sales@velux.co.uk)

Website: [velux.co.uk](http://velux.co.uk)

# Blinds and shutters

- 4 Transforming spaces
- 5 A more sustainable building sector
- 6 Why VELUX®
- 8 Our timeless blinds collection
- 10 New design: solar and electric blinds collection
- 12 Discover year-round comfort
- 14 Select your operation
- 16 Intelligent home control solutions
- 19 Installation of VELUX blinds
- 20 Selection guide
- 24 Anti-heat blinds and shutters
- 33 Roller blinds
- 45 Pleated blinds
- 48 Venetian blind
- 49 Insect screen
- 50 Flat roof window blinds
- 54 How to order your new VELUX blind or shutter
- 55 Extras for your blinds and shutters

# Transforming spaces into favourite places

We all look for the perfect place where we can relax, recharge and feel content – or even be more productive. And often, without us noticing, it is a place filled with daylight and fresh air.

For over 80 years, the VELUX Group has helped people transform spaces using daylight and fresh air through the roof. By creating brighter, healthier, more sustainable places to live, work, learn and play, we enable a better everyday life for people around the world.

Our award-winning roof windows can fit any roof – flat, pitched, old or new and can be accessorised with VELUX blinds and shutters for light and temperature control. You can even add more space to your home with a VELUX Roof balcony or upgrade your windows to VELUX ACTIVE with NETATMO – our intelligent home solution.

VELUX roof windows, blinds and shutters are built to last. We take pride in our craft and high-quality products. But what you might not see is the work we're doing to reduce our environmental impact and the ways we support our customers in their efforts to do the same. We have set targets to reduce our carbon emissions in line with the Paris Agreement's most ambitious emissions reduction pathway. In addition, we aim to remove all plastic from our packaging and ensure it's 100% recyclable, making waste management simpler. In other words, there are several reasons to choose a VELUX roof window.



## Our contribution to a more sustainable building sector

With the building industry accounting for over a third of CO<sub>2</sub> emissions, the need for change is urgent. We aim to lead the way and show how rethinking buildings can accelerate that transformation. Our initiatives include:

- Reducing emissions from our own operations by 100% (Scope 1 & 2) by 2030.
- By 2030, 50% reduction of CO<sub>2</sub> from our value chain (Scope 3) compared with baseline year 2020.
- All production sites to send zero production waste to landfill by 2030.
- Reduce and remove the equivalent of our historical CO<sub>2</sub> emissions through forest projects.
- Transition to single-material, paper-based packaging that can be disposed of in one waste stream for recycling.

Although it sounds simple, transitioning from plastic to paper-based packaging presents many challenges. The process for our main roof windows has taken over two years and involved design professionals, engineers and production companies.

Extensive testing showed that paper-based materials with honeycomb panels could withstand stacking pressure, knocks and blows, as well as humidity and temperature changes. In Europe, our new paper-based packaging has saved more than 900 tonnes of EPS/plastic in 2023 compared to 2021.


Our goal for 2030 is to halve CO<sub>2</sub> emissions from our product production, the materials they use, and across our entire value chain. This means that a VELUX roof window in 2030 will have a significantly reduced carbon footprint compared to today. When you buy a VELUX solution, you are part of this journey.

# Why VELUX®

Your VELUX roof windows deserve original blinds and shutters, for a perfect fit, beautiful design and long-lasting performance.

## 1 Designed and tested for daily life

All VELUX products are designed and tested for real-life conditions. Our blinds and shutters are rigorously tested by being opened and closed thousands of times. They are exposed to extreme weather conditions to ensure the blinds retain their colour. What's more, we pull, tug and squeeze the material to ensure your new blind keeps its shape and stands the test of time. Then, when we are happy with the design, our European factories start production.



## 2 Easy to install and use

Original VELUX blinds and shutters are tailor-made for your VELUX roof windows. This means they always fit perfectly and are easy to install with no measuring or cutting. The elegant and slim-frame design ensures a perfect result, making the blind almost invisible when not in use.



## 3 Your colours for your home

Choose from a wide range of blinds and shutters in various styles and colours. With our Colour by You collection, you can even customise your own blind, complete with a choice of white or brushed aluminium side rails.



## 4 For safety and sustainability

VELUX blinds have child-safe cordless designs to ensure safety in your home. All of our interior blinds are OEKO-TEX® certified and guaranteed to be free from harmful substances. VELUX Anti-heat blackout shutters offer dual functionality, protecting your room from overheating while actively deterring break-ins.





# Discover our timeless collection

From classic to trendy styles, and light-dimming to complete blackout options, the VELUX blinds collection offers stylish colours, subtle patterns and a variety of features to match all room types.

The VELUX blinds collection is developed in partnership with leading international trend experts. Choose from a wide variety of fabrics and colours, available in both classic and modern designs.

We offer three different **roller blinds** with flat fabrics, two types of **pleated blinds**, as well as our classic **Venetian blinds**. All varieties are available in a range of colours, allowing you to mix and match different or similar colours across your rooms and blind types.

Your choice of blind depends entirely on your personal style, the room type, and whether you are looking to create a complete blackout or light-dimming effect.

### Customise the colour of your blind

If you cannot find the exact colour to match your taste or interiors, the Colour by You collection gives you thousands of additional colours to choose from.

Read more on page 35 or at [veluxblindsdirect.co.uk/colour](http://veluxblindsdirect.co.uk/colour)



## Clean all white look

VELUX blinds are available with high-quality side rails in your choice of either brushed or white painted aluminium.

Brushed aluminium works exceptionally well with our lacquered wood-finish roof windows while the white painted rails become almost

invisible when paired with white VELUX roof windows. Furthermore, thanks to their UV protection, the bright white will stay unaffected by sunlight.

The side rails are easy to install and designed to complement your VELUX roof windows beautifully.



## Blackout or translucent blinds?

**Blackout blinds** block incoming light, making them the preferred choice for bedrooms and children's rooms, where darkness is needed for a good night's sleep.

**Translucent blinds** allow a dimmed light to enter into the room while effectively preventing glare. Translucent blinds are suitable for many room types like living rooms, home offices and game rooms.

# More flexible and intuitive than ever before



The new design of our solar and electric blinds range allows you to easily operate the blind either remotely or manually via a new slider, positioned directly on the product.

## The new design offers a number of product benefits:

### Optimised design

The slimmer profile along the bottom of the blind integrates seamlessly with the roof window, providing an unobstructed view and maximum daylight.

### New, quieter motor

Regardless of operation, the motor runs almost without sound.

### A solution to suit everyone

Available in a wide range of colours and fabrics including blackout, energy pleated and translucent.

### Even longer guarantee

Now comes with an extended 5-year guarantee.



**Unique design**  
Available in a wide range of colours.

**Slimmer profile**  
Lets in maximum daylight.

**Multiple operation**  
Operate remotely or manually via the slider.

# Anti-heat blackout shutters, Anti-heat blinds and interior blinds for all year round comfort

VELUX roof windows fill your home with daylight and fresh air. Having the right weather and sun protection also ensures a pleasant indoor climate and helps save energy.



## Exterior weather and heat protection

Choose Anti-heat blinds and shutters to create a shield between the sun's rays and the roof windows to prevent the direct sunlight from entering the home. Rain noise is also significantly reduced.

More information from page 24.

## Tip Anti-heat blackout shutter + Blackout energy pleated blind

Up to 5.0°C\* cooler in summer +  
heat energy savings in winter.

## Interior light control

Choose interior blinds to complement a room, soften incoming light or provide privacy or blackout to ensure a good night's sleep or a daytime nap. In the colder months, they will help to keep the room warm and create a cosy atmosphere.

More information from page 33.

## Tip Add insect screens to enjoy fresh air without unwanted visitors

More information from page 49.

\* Data from a simulated south-facing room with two VELUX GGU 70 roof windows in size MK06 (78.0 x 117.8cm), July - August 2023, recorded in London. Based on a study by VELUX 2023 on the effects of accessories in summer.

# Select your level of comfort

## From manual to fully automated blinds and shutters



Enjoy seamless remote control with VELUX solar or electric blinds and shutters



Upgrade your VELUX solar or electric blinds and shutters with **VELUX Intelligent home control** solutions for smartphone control and fully automated heat protection

### Manual operation

#### Simple hands-on solution

Your manual VELUX blinds come with a clever and discreet control bar that lets you adjust the blind comfortably.

The blind runs smoothly and can be positioned anywhere on the roof window.



### Remote-controlled

#### Smarter controls with VELUX solar or electric blinds and shutters

Choose VELUX solar or electric blinds and shutters to simplify your home living. These products come with a ready-to-use Wall Switch for remote operation, and they can easily be upgraded with a range of intelligent home control solutions to cover everyone's needs.



Select VELUX solar blinds and shutters for your manual or solar roof window. Installation is easy because there's no need to run cables.



Select VELUX electric blinds and shutters for your electric roof windows.



### Intelligent home control

#### Let intelligent home control take care of your indoor climate

Unlock the full potential of your solar or electric blinds and shutters with VELUX Intelligent home control solutions.

VELUX Touch makes it easy to control multiple VELUX solar or electric roof windows, blinds and shutters, with no dependency on Wi-Fi.

VELUX App Control lets you control your VELUX solar or electric products right from your phone – at home or on the go.

VELUX ACTIVE with NETATMO automatically improves your indoor climate and offers seamless control of your VELUX solar or electric products by smartphone or voice commands. To shield your home from excessive heat, you can simply let the system rely on the built-in indoor climate sensors and live weather forecast for automatic operation of your Anti-heat blinds and shutters.

See more on page 16 or at [velux.co.uk/smarthome](http://velux.co.uk/smarthome)



# Easy control options for your VELUX solar and electric products

Our controls make it easy for you to adjust your roof windows, blinds and shutters with the simple touch of a switch or your smartphone. Say goodbye to manual adjustments and experience the easy way of managing your roof windows, blinds and shutters.



## Basic Wall Switch

VELUX Wall Switch

The Wall Switch lets you conveniently open, stop and close VELUX solar and electric products.

- Allows control of one product per switch.

Included with the purchase of any VELUX solar or electric product



## Multiple product switch

VELUX Touch

VELUX Touch makes it easy to feel perfectly comfortable at home by ensuring every solar or electric roof window, blind and shutter is always within easy reach. Let in a cool breeze when you need a breath of fresh air, shield your home from the midday sun or close the blinds for a movie night – all with a single master switch.

- Control multiple VELUX solar and electric products in the home.
- 15-minute ventilation timer.

VELUX Touch		
KLR 300	VELUX Touch	128.40

All prices in GBP (£)  
Price shown is incl. VAT.



## VELUX App

VELUX App Control

VELUX App Control gives you full control of all your VELUX solar or electric products, right from your smartphone. Open and close your roof windows, blinds and shutters with a single swipe or group your VELUX solar or electric products for combined control. Share VELUX App Control with the whole household and keep every roof window within reach – both at home and on the go.

- Control of multiple VELUX solar or electric products in the home.
- 15-minute ventilation timer and scheduling.
- Personalised home control from anywhere.

**Upgrade to VELUX ACTIVE with NETATMO**  
You can upgrade from VELUX App Control to VELUX ACTIVE with NETATMO by purchasing only the VELUX ACTIVE indoor climate sensor (KLA 300)

VELUX App Control		
KIG 300	VELUX App Control gateway	104.40

All prices in GBP (£)  
Price shown is incl. VAT.



## VELUX App with sensor

VELUX ACTIVE with NETATMO

VELUX ACTIVE is an intelligent home solution that links your solar or electric products together, allowing your roof windows to let in fresh air, whilst blinds and shutters automatically shield your home from excessive heat. Effortlessly monitor the temperature, humidity and CO<sub>2</sub> levels in your home, while controlling it all with the VELUX ACTIVE app.

- Automatic ventilation and heat protection.
- Control of multiple VELUX solar or electric products in the home.
- 15-minute ventilation timer and scheduling.
- Personalised home control from anywhere.

VELUX ACTIVE		
KIX 300	VELUX ACTIVE package (VELUX gateway, departure switch, indoor climate sensor)	214.80
Additional components		
KLA 300	VELUX ACTIVE indoor climate sensor	81.60
KLN 300	VELUX ACTIVE departure switch	51.60

All prices in GBP (£)  
Price shown is incl. VAT.



iPhone, iPod and iPad are registered trademarks of Apple Inc. Registered in the US and other countries. HomeKit is a trademark of Apple Inc. Google and Google Play are trademarks of Google LLC.



# Installing your genuine VELUX blinds is easier than you think

## Install your genuine VELUX blinds in 15 minutes

Installing VELUX blinds requires no measuring, trimming, cutting or extra tools. They are made for a perfect fit and everything you need is included in the box.

## No need to cut or trim — just click on

Your VELUX roof windows have pre-installed mounting brackets for your blinds. Simply click on the original VELUX blind and add the side channels provided.

## No need to measure

You can find your roof window's type and size on the roof window sash — see how on page 54. Then you can be sure that your new blind fits your roof window perfectly without having to take any measurements.

## Easily replace your old blinds

It is straightforward to replace tired blinds with new ones from VELUX. You can still order blinds that fit almost every generation of VELUX roof window.



## Do you need blackout?

VELUX Blackout blinds can help you create the perfect space for a good night's sleep or a refreshing daytime nap.



**Blackout roller blind**  
Page 36



**Duo blackout roller blind**  
Page 38



**Blackout energy pleated blind**  
Page 45

## Do you need heat control?

Protect your home from overheating with our exterior heat protection products.



**Anti-heat blackout shutter**  
Page 25



**Anti-heat blackout blind**  
Page 26



**Anti-heat blind**  
Page 27

## Do you need light dimming?

Increase privacy and control incoming daylight with our pleated, roller and Venetian blind options.



**Translucent roller blind**  
Page 40



**Translucent pleated blind**  
Page 46



**Venetian blind**  
Page 48

## Do you need to keep insects out?


Enjoy fresh air, free from insects.



**Insect screen**  
Page 49

## Do you need a blind for your flat roof window?

Select a blind to control light and heat, or to protect from insects.



**Flat roof window blinds**  
Page 50



Protect your home all year  
round with VELUX exterior  
Anti-heat blinds and shutters.

# Outdoor protection, indoor comfort all year round

Our wide range of VELUX exterior anti-heat products helps protect your home from overheating in the summer and provides extra insulation on cold days, keeping your indoor temperature comfortable. Our solar products use daylight energy as their power source, eliminating the need for wiring and offering a seamless installation from inside the room.

## All year round temperature control

Create a shield between the sun's rays and your roof windows to prevent the direct sunlight from entering your home. This helps to keep the indoor temperature cooler, reducing the need for air conditioning and lowering energy costs. In colder months, shutters provide an additional shield from the outside to keep the warmth in.

## Durability and longevity

Crafted from high-quality materials, our Anti-heat blinds and shutters are designed to withstand the harshest weather conditions, while maintaining their functionality and visual appeal for years to come.

## Easy installation


Designed to seamlessly match your VELUX roof windows, our products offer a hassle-free installation. With installation taking place from inside the room, you'll have your new Anti-heat blinds or shutters up in no time!

Discover the exterior blind or shutter that best meets the needs of your home.

## Anti-heat blackout shutter

Heat protection, blackout and insulation

See more on page 25.



Heat protection	● ● ● ●
Blackout	● ● ● ●
Insulation	● ●
Daylight exposure	
Burglary prevention	● ● ●
Weather protection	● ● ● ●

## Anti-heat blackout blind

Heat protection and blackout

See more on page 26.



Heat protection	● ● ● ●
Blackout	● ● ●
Insulation	●
Daylight exposure	
Burglary prevention	● ● ●
Weather protection	● ●

## Anti-heat blind

Heat protection and transparency



See more on page 27.



Heat protection	● ● ●
Blackout	
Insulation	
Daylight exposure	● ● ●
Burglary prevention	
Weather protection	●



Up to 4.8°C cooler inside\*



Aluminium profiles: 0000

## Indoor climate

Heat protection, blackout and insulation all year round.

Heat protection	● ● ● ●
Blackout	● ● ● ●
Insulation	● ●
Daylight exposure	
Burglary prevention	● ● ●
Weather protection	● ● ● ●

Read more about Anti-heat blackout shutter specifications at [velux.co.uk/shutter](http://velux.co.uk/shutter)

## Anti-heat blackout shutter

Take full control of your indoor comfort with the superior heat protection and blackout offered by the VELUX Anti-heat blackout shutter. The ideal choice for year-round use, the sturdy aluminium shield exterior offers the very best outdoor protection.

- All-in-one protection.
- Best heat protection and sun screening.

- Excellent blackout.
- Provides an additional shield from the outside to keep the warmth in the room during colder months.
- Rain noise reduction.
- Effective protection of roof window and against break-ins.
- Can be combined with a decorative interior blind and an Insect screen.

## Intelligent home control

Combine your VELUX solar and electric products with our intelligent home control solutions for multiple product operation, scheduling and automation.

Read more on page 16.

Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08	
Sizes (w×h) cm	55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140	
	□	□	□	□	□	□	□	□	□	□	□	□	□	□	
Solar SSL	604.80	604.80	646.80	667.20	694.80	687.60	722.40	763.20	742.80	825.60	866.40	838.80	832.80	969.60	
Electric SML	454.80	454.80	486.00	501.60	522.00	517.20	543.60	573.60	558.00	620.40	651.60	631.20	626.40	729.60	
Electric SMH**	-	-	-	-	730.80	-	760.80	804.00	-	868.80	-	883.20	-	-	
						FFK06	FFK08	FMK06	FMK08	FPK06	FPK08	MMK06	MMK08	FFKF06	FFKF08
Window size						127×118	127×140	139×118	139×140	155×118	155×140	151×118	151×140	188×118	188×140
						□□	□□	□□	□□	□□	□□	□□	□□	□□□	□□□
Solar SSLs for 3in1 and 2in1***	1,461.60	1,521.60	1,491.60	1,564.80	1,556.40	1,629.60	1,521.60	1,608.00	2,192.40	2,282.40					

KUX 110 control system is needed if you install an SML into a manually operated VELUX roof window. SSL and SML can be installed on roof windows one above the other, at least 25cm apart and SMH at least 30cm apart and on roof windows next to each other at least 10cm apart.

\* Data from a simulated south-facing room with two VELUX GGU 70 roof windows in size MK06 (78.0 x 117.8cm), July - August 2023, recorded in London. Based on a study by VELUX 2023 on the effects of accessories in summer.


\*\* SMH is designed for VELUX electric top-hung roof windows.

\*\*\* For installation on solar-powered roof windows size F one (or two) dual solar switch(es) Z0Z 246 must be added - read more on page 55.

All prices in GBP (£)  
Price shown is incl. VAT.



Up to 4.7°C cooler inside\*



Solid blackout fabric 0000

### Indoor climate

- Heat protection and blackout all year round.

Heat protection	● ● ● ●
Blackout	● ● ●
Insulation	●
Daylight exposure	
Burglary prevention	
Weather protection	● ●

Read more about Anti-heat blackout blind specifications at [velux.co.uk/SSS](http://velux.co.uk/SSS)

### Intelligent home control

Combine your VELUX solar and electric product with our intelligent home control solutions for multiple operation, scheduling and automation.

Read more on page 16.

## Anti-heat blackout blind

Beat the heat with this effective combination. VELUX Anti-heat blackout blind blocks heat and light and is ideal for those who want to keep comfortable indoors on hot days and sleep better on warm nights. It is solar powered and easy to install with no need for wiring.

- Effective combination.
- Great heat protection.
- Blocks out light.
- Rain noise reduction.
- Tough, durable polyester fabric.
- Easy self-installation from inside the room.
- Can be combined with a decorative interior blind and an insect screen.

Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm	55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
Solar SSS**	363.60	363.60	388.80	400.80	417.60	414.00	434.40	459.60	446.40	496.80	520.80	505.20	500.40	583.20

Window size	FFK06	FFK08	FMK06	FMK08	FPK06	FPK08	MMK06	MMK08	FFKF06	FFKF08
	127×118	127×140	139×118	139×140	155×118	155×140	151×118	151×140	188×118	188×140
Solar SSSS for 3in1 and 2in1**	835.20	868.80	852.00	894.00	889.20	931.20	868.80	919.20	1,252.80	1,303.20

For old VELUX roof window generations (VES), a ZOZ 238 installation kit set is needed. For VELUX electric top-hung roof windows, a ZOZ 229S kit set is needed.


\* Data from a simulated south-facing room with two VELUX GGU 70 roof windows in size MK06 (78.0 x 117.8cm), July – August 2023, recorded in London. Based on a study by VELUX 2023 on the effects of accessories in summer.

\*\* For installation on solar-powered roof windows size C or F one (or two) dual solar switch(es) ZOZ 246 must be added – read more on page 55.

All prices in GBP (£)  
Price shown is incl. VAT.



Up to 4.1°C cooler inside\*



Transparent fabric 5060

### Indoor climate

- Heat protection and transparency all year round.

Heat protection	● ● ●
Blackout	
Insulation	
Daylight exposure	● ● ●
Burglary prevention	
Weather protection	●

Read more about Anti-heat blind specifications at [velux.co.uk/awning](http://velux.co.uk/awning)

## Anti-heat blind

Keep your indoors cool and comfortable all day with VELUX Anti-heat blinds that block incoming heat before it ever hits your VELUX roof windows. The ideal choice for home offices or living rooms where you want cooler temperatures and to reduce glare on sunny days.

- Effective heat reduction.
- Transparent fabric – lets in light and retains the view to the outside.
- Rain noise reduction.
- Easy self-installation from inside the room.
- Can be combined with a decorative interior blind and an insect screen.

### Intelligent home control

Combine your VELUX solar and electric product with our intelligent home control solutions for multiple operation, scheduling and automation.

Read more on page 16.

Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm	55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
Solar MSL**	295.20	295.20	316.80	326.40	338.40	336.00	352.80	372.00	362.40	403.20	422.40	410.40	405.60	475.20
Electric MML	295.20	295.20	316.80	326.40	338.40	336.00	352.80	372.00	362.40	403.20	422.40	410.40	405.60	475.20
Manual MHL	81.60	81.60	81.60	81.60	96.00	103.20	103.20	103.20	120.00	120.00	120.00	134.40	144.00	144.00
Solar MSLS for 3in1 and 2in1**			679.20	705.60	692.40	726.00	722.40	756.00	705.60	746.40	1,018.80	1,058.40		

For old VELUX roof window generations (VES), a ZOZ 238 installation kit set is needed. For VELUX electric top-hung roof windows, a ZOZ 229S kit set is needed.

KUX 110 control system is needed if you install an MML into a manually operated VELUX roof window.

\* Data from a simulated south-facing room with two VELUX GGU 70 roof windows in size MK06 (78.0 x 117.8cm), July – August 2023, recorded in London. Based on a study by VELUX 2023 on the effects of accessories in summer.

\*\* For installation on solar-powered roof windows size C or F one (or two) dual solar switch(es) ZOZ 246 must be added – read more on page 55.

All prices in GBP (£)  
Price shown is incl. VAT.

# Combine interior and exterior blinds for optimal comfort

Buy your interior and exterior blind together and save 10%


Find your perfect pairing with a manual interior blind and exterior Anti-heat blind.

- Combine a manual interior blind and exterior Anti-heat blind and enjoy double the benefit, for less.
- Interior blinds are available in 4 standard colours and in 2 side rail options – white or brushed aluminium.
- The manual Anti-heat blind comes with simple-to-handle hook fixing for positioning on the outside of your roof window.
- Transparent fabric lets in light and retains the view to the outside.
- Easy self-installation from the inside.



Heat protection plus blackout (DOP)\*

Anti-heat blind + Blackout roller blind



Heat protection plus blackout and insulation (FOP)\*

Anti-heat blind + Blackout energy pleated blind



Heat protection plus light dimming (ROF)\*


Anti-heat blind + Translucent roller blind



Heat protection plus light dimming (FOL)\*

Anti-heat blind + Translucent pleated blind

## Colour options



Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08	
Sizes (w×h) cm	55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Manual operation	DOP	148.80	148.80	153.60	162.00	181.20	184.80	192.00	198.00	211.20	226.80	232.80	244.80	256.80	274.80
	FOP	170.40	170.40	178.80	189.60	210.00	211.20	222.00	230.40	243.60	261.60	272.40	280.80	294.00	318.00
	ROF	148.80	148.80	153.60	162.00	181.20	184.80	192.00	198.00	211.20	226.80	232.80	244.80	256.80	274.80
	FOL	159.60	159.60	165.60	175.20	194.40	198.00	206.40	213.60	229.20	243.60	253.20	261.60	274.80	296.40

\* DOP, ROF, FOP and FOL: Are not suitable for GGU, GPU white maintenance-free roof windows with a 3-digit reference number (eg GGU 304), or for GGLS roof windows.

To order the blind with white side rails, simply add WL to the end of your product code.

All prices in GBP (£)  
Price shown is incl. VAT.

Set the scene for  
daytime living  
and restful nights  
with VELUX blinds





CO<sub>2</sub> reduced with recycled materials




Translucent roller blind RFY



Blackout roller blind DKY


## Colour options

### Blackout roller blind DKY



Forest  
4901

Marsh  
4902



Lake  
4903


Cave  
4904

### Translucent roller blind RFY



Clouds  
4951

Dunes  
4952



Woods  
4953

Cliffs  
4954

## Nature collection

For design and environmentally-conscious consumers, our Nature Collection roller blinds come in a range of colours that allow you to bring the peace and tranquility of nature directly into your home. The blinds are made from a minimum 50% recycled fabric and 75% recycled aluminium and have a lower carbon footprint than the standard option. This allows you to enjoy the same high quality as every VELUX product but, with a 50% reduced carbon footprint during production compared to ordinary VELUX blinds.

### Blackout roller blind DKY

- Excellent blackout to darken the room.

### Translucent roller blind RFY

- Softens incoming light and provides privacy.

### Blackout roller blind DKY and Translucent roller blind RFY

- Available with white or brushed aluminium side rails.
- Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 28.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 49.

## Installation

- Quick and easy installation with pre-fitted brackets.

## Certifications

- Standard 100 by OEKO-TEX® (2276-378) – textiles tested for certain harmful substances.
- SteP by OEKO-TEX® (22002567) – SteP stands for Sustainable Textile & Leather Production.
- Our products hold verified EPD certificates complying with the European Standard EN 15804+A2.


Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm	55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
Manual operation	DKY 96.00	96.00	103.20	112.80	120.00	117.60	127.20	134.40	134.40	151.20	160.80	156.00	160.80	184.80
	RFY 96.00	96.00	103.20	112.80	120.00	117.60	127.20	134.40	134.40	151.20	160.80	156.00	160.80	184.80

To order the blind with white side rails, simply add WL to the end of your product code.

All prices in GBP (£)  
Price shown is incl. VAT.



### Colour options



### Installation

- Quick and easy installation with pre-fitted brackets.

### Certifications

- Standard 100 by OEKO-TEX (1076-184) – contains no harmful substances.
- STeP by OEKO-TEX (22002567) – sustainable textile production.

## Children's collection

The greatest adventures start with a good night's sleep. VELUX Children's collection blinds feature inspirational and cheerful designs made for kids' rooms. Available as a Blackout blind or as Duo blackout blind that combines blackout and light dimming in one solution.

#### Blackout roller blind DKL

- Excellent blackout to darken the room.

#### Duo blackout roller blind DFD

- Two ways to control light in one solution – blackout the room completely or soften incoming light.
- Choose any Children's collection Blackout roller blind combined with a white pleated blind.

#### Blackout roller blind DKL and Duo blackout roller blind DFD

- Available with white or brushed aluminium side rails.
- Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 28.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 49.

Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08	
Sizes (w×h) cm	55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Manual operation	DKL	96.00	96.00	103.20	112.80	120.00	117.60	127.20	134.40	134.40	151.20	160.80	156.00	160.80	184.80
	DFD	124.80	124.80	134.40	148.80	156.00	153.60	165.60	175.20	172.80	196.80	208.80	204.00	211.20	240.00

To order the blind with white side rails, simply add WL to the end of your product code.

All prices in GBP (£)  
Price shown is incl. VAT.



## Colour by You

The Colour by You collection lets you customise your roller blinds. Choose from thousands of colours to create the look that you've been dreaming of. Get inspired by trying the colour selection tool at [veluxblindsdirect.co.uk](http://veluxblindsdirect.co.uk) and start customising your blinds today.

- Available for Translucent roller blind (RFL, RML, RSL), Blackout roller blind (DKL, DML, DSL) and Duo blackout roller blind (DFD). All with a choice of white or brushed aluminium side rails.
- Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 28.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 49.
- Along the bottom of the blind, the new slimmer profile on the solar and electric options provides an unobstructed view and maximum daylight.

Most sold window sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm		55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>NEW DESIGN</b>	DSL	204.00	204.00	211.20	220.80	228.00	225.60	235.20	242.40	242.40	259.20	268.80	264.00	268.80	292.80
Solar	RSL	204.00	204.00	211.20	220.80	228.00	225.60	235.20	242.40	242.40	259.20	268.80	264.00	268.80	292.80
<b>NEW DESIGN</b>	DML	204.00	204.00	211.20	220.80	228.00	225.60	235.20	242.40	242.40	259.20	268.80	264.00	268.80	292.80
Electric	RML	204.00	204.00	211.20	220.80	228.00	225.60	235.20	242.40	242.40	259.20	268.80	264.00	268.80	292.80
	DKL	96.00	96.00	103.20	112.80	120.00	117.60	127.20	134.40	134.40	151.20	160.80	156.00	160.80	184.80
Manual operation	RFL	96.00	96.00	103.20	112.80	120.00	117.60	127.20	134.40	134.40	151.20	160.80	156.00	160.80	184.80
	DFD	124.80	124.80	134.40	148.80	156.00	153.60	165.60	175.20	172.80	196.80	208.80	204.00	211.20	240.00

To order the blind with white side rails, simply add WL to the end of your product code.

All prices in GBP (£)  
Price shown is incl. VAT.

### Installation

- Quick and easy installation on VELUX roof windows.

### Intelligent home control

Combine your VELUX solar and electric product with our intelligent home control solutions for multiple operation, scheduling and automation.

Read more on page 16.


### Certifications

- Standard 100 by OEKO-TEX® (1076-184) – textiles tested for certain harmful substances.
- STeP by OEKO-TEX® (22002567) – STeP stands for Sustainable Textile & Leather Production.




## Colour options

### Standard colours




1085 1100 0705 1025 3009

### Trend colours



4574 4559 4564 4575 4576



4578 4577 4579 4580 4581



4556

## Blackout roller blind

The VELUX Blackout roller blind offers blackout for darkness anytime, ideal for bedrooms to ensure a good night's sleep or a daytime nap.

- Along the bottom of the blind, the new slimmer profile on the solar and electric options provides an unobstructed view and maximum daylight.
- Excellent blackout.
- Available with white or brushed aluminium side rails.
- Combine your manual blind with an Anti-heat blind and save 10%. Read more on page 28.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 49.

## Installation

- Quick and easy installation with pre-fitted brackets.

## Intelligent home control

Combine your VELUX solar and electric product with our intelligent home control solutions for multiple operation, scheduling and automation.

Read more on page 16.

## Certifications

- Standard 100 by OEKO-TEX® (1076-184) –textiles tested for certain harmful substances.
- STeP by OEKO-TEX® (22002567) – STeP stands for Sustainable Textile & Leather Production.

Most sold window sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm		55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
<b>NEW DESIGN</b> Solar DSL	Standard	192.00	192.00	196.80	206.40	213.60	211.20	218.40	225.60	223.20	240.00	247.20	244.80	249.60	268.80
	Trend	204.00	204.00	211.20	220.80	228.00	225.60	235.20	242.40	242.40	259.20	268.80	264.00	268.80	292.80
<b>NEW DESIGN</b> Electric DML	Standard	192.00	192.00	196.80	206.40	213.60	211.20	218.40	225.60	223.20	240.00	247.20	244.80	249.60	268.80
	Trend	204.00	204.00	211.20	220.80	228.00	225.60	235.20	242.40	242.40	259.20	268.80	264.00	268.80	292.80
Manual DKL	Standard	84.00	84.00	88.80	98.40	105.60	103.20	110.40	117.60	115.20	132.00	139.20	136.80	141.60	160.80
	Trend	96.00	96.00	103.20	112.80	120.00	117.60	127.20	134.40	134.40	151.20	160.80	156.00	160.80	184.80

KUX 110 control system is needed if you install an DML into a manually operated VELUX roof window. To order the blind with white side rails, simply add WL to the end of your product code.


All prices in GBP (£)  
Price shown is incl. VAT.






### Colour options

#### Standard colours




1085 1100 0705 1025 3009


#### Trend colours



4574 4559 4564 4575 4576



4578 4577 4579 4580 4581



4556



Always combined with white Translucent pleated blind(1016)

### Installation

- Quick and easy installation with pre-fitted brackets.

### Certifications

- Standard 100 by OEKO-TEX® (1076-184) – textiles tested for certain harmful substances.
- STeP by OEKO-TEX® (22002567) – STeP stands for Sustainable Textile & Leather Production.

## Duo blackout roller blind


VELUX Duo blackout roller blind is a blackout roller and a translucent pleated blind in one. It offers the best of both worlds – blackout at night and softly diffused light during the day.

- Two ways to control light in one solution – excellent blackout to darken the room or soften incoming light.
- Choose any colour Blackout roller blind combined with a white pleated blind.
- Available with white or brushed aluminium side rails.
- Available with manual operation.
- Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 28.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 49.

Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08	
Sizes (w×h) cm	55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140	
	Standard	108.00	108.00	117.60	129.60	136.80	132.00	144.00	153.60	151.20	170.40	182.40	177.60	182.40	208.80
Manual DFD	Trend	124.80	124.80	134.40	148.80	156.00	153.60	165.60	175.20	172.80	196.80	208.80	204.00	211.20	240.00


To order the blind with white side rails, simply add WL to the end of your product code.

All prices in GBP (£)  
Price shown is incl. VAT.



### Colour options

#### Standard colours



4288 4204 4249 4230

### Installation

- Quick and easy installation with pre-fitted brackets.

### Certifications

- Standard 100 by OEKO-TEX® (1076-184) – textiles tested for certain harmful substances.
- STeP by OEKO-TEX® (22002567) – STeP stands for Sustainable Textile & Leather Production.

## Basic blackout blind

The VELUX Basic blackout blind is a good alternative for roof windows manufactured before 2014. It is an ideal solution if you simply want to replace your old blind with a cost-effective solution.

- Blackout effect.
- Stepless positioning.
- Only available for VELUX roof windows manufactured before 2014.
- Available in 4 colours and comes with a 2-year guarantee.
- Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 28.


Most sold window sizes	C02	C04	F06	M04	M06	M08	P08	S06	U04	U08	
Sizes (w×h) cm	55×78	55×98	66×118	78×98	78×118	78×140	94×140	114×118	134×98	134×140	
Manual operation	DBL	57.60	62.40	74.40	72.00	76.80	81.60	91.20	96.00	98.40	112.80

All prices in GBP (£)  
Price shown is incl. VAT.



## Colour options

### Standard colours



### Trend colours



## Translucent roller blind

VELUX Translucent roller blinds provide basic privacy whilst still allowing in natural light. Perfect for living rooms, offices and playrooms.

- Along the bottom of the blind, the new slimmer profile on the solar and electric options provides an unobstructed view and maximum daylight.
- Softens incoming light and provides privacy.
- Available with white or brushed aluminium side rails.
- Combine your manual blind with a manual Anti-heat blind and save 10%. Read more on page 28.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 49.

### Installation

- Quick and easy installation with pre-fitted brackets.

### Intelligent home control

Combine your VELUX solar and electric product with our intelligent home control solutions for multiple operation, scheduling and automation.

Read more on page 16.

### Certifications

- Standard 100 by OEKO-TEX® (1076-184) – textiles tested for certain harmful substances.
- STeP by OEKO-TEX® (22002567) – STeP stands for Sustainable Textile & Leather Production.

Most sold window sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm		55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
		□	□	□	□	□	□	□	□	□	□	□	□	□	□
<b>NEW DESIGN</b> Solar RSL	Standard	192.00	192.00	196.80	206.40	213.60	211.20	218.40	225.60	223.20	240.00	247.20	244.80	249.60	268.80
	Trend	204.00	204.00	211.20	220.80	228.00	225.60	235.20	242.40	242.40	259.20	268.80	264.00	268.80	292.80
<b>NEW DESIGN</b> Electric RML	Standard	192.00	192.00	196.80	206.40	213.60	211.20	218.40	225.60	223.20	240.00	247.20	244.80	249.60	268.80
	Trend	204.00	204.00	211.20	220.80	228.00	225.60	235.20	242.40	242.40	259.20	268.80	264.00	268.80	292.80
Manual RFL	Standard	84.00	84.00	88.80	98.40	105.60	103.20	110.40	117.60	115.20	132.00	139.20	136.80	141.60	160.80
	Trend	96.00	96.00	103.20	112.80	120.00	117.60	127.20	134.40	134.40	151.20	160.80	156.00	160.80	184.80

KUX 110 control system is needed if you install an RML into a manually operated VELUX roof window. To order the blind with white side rails, simply add WL to the end of your product code.

All prices in GBP (£)  
Price shown is incl. VAT.



# VELUX pleated blinds

A stylish layer of privacy that either softens or blocks daylight entirely






## Blackout energy pleated blind

VELUX Blackout energy pleated blinds provide both blackout and insulation, making them ideal for bedrooms that require full darkness at night and additional warmth. Adjust the blind from both the top and the bottom of the roof window\* to let in exactly the right amount of light.

- Along the bottom of the blind, the new slimmer profile on the solar and electric options provides an unobstructed view and maximum daylight.
- Blackout for a great night's sleep or a nap during the day.
- Insulation for increased comfort during colder months.
- A flying blind design that can be placed anywhere on the roof window.\*
- Available with white or brushed aluminium side rails.
- Combine your manual blind with a manual Anti-heat blind and save 10%. Read more on page 28.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 49.

### Colour options

#### Standard colours



#### Trend colours



### Installation

- Quick and easy installation with pre-fitted brackets.




### Intelligent home control

- Combine your VELUX solar and electric product with our intelligent home control solutions for multiple operation, scheduling and automation.

Read more on page 16.


### Certifications

- Standard 100 by OEKO-TEX® (1076-184) – textiles tested for certain harmful substances.
- STeP by OEKO-TEX® (22002567) – STeP stands for Sustainable Textile & Leather Production.

Most sold window sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm		55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
		□	□	□	□	□	□	□	□	□	□	□	□	□	□
<b>NEW DESIGN</b>	Standard	216.00	216.00	225.60	237.60	244.80	240.00	252.00	261.60	259.20	278.40	290.40	285.60	290.40	316.80
 Solar FSC	Trend	232.80	232.80	242.40	256.80	264.00	261.60	273.60	283.20	280.80	304.80	316.80	312.00	319.20	348.00
<b>NEW DESIGN</b>	Standard	216.00	216.00	225.60	237.60	244.80	240.00	252.00	261.60	259.20	278.40	290.40	285.60	290.40	316.80
 Electric FMC	Trend	232.80	232.80	242.40	256.80	264.00	261.60	273.60	283.20	280.80	304.80	316.80	312.00	319.20	348.00
 Manual FHC	Standard	108.00	108.00	117.60	129.60	136.80	132.00	144.00	153.60	151.20	170.40	182.40	177.60	182.40	208.80
	Trend	124.80	124.80	134.40	148.80	156.00	153.60	165.60	175.20	172.80	196.80	208.80	204.00	211.20	240.00


KUX 110 control system is needed if you install an FMC into a manually operated VELUX roof window. To order the blind with white side rails, simply add WL to the end of your product code.  
\* Manual version only.

All prices in GBP (£)  
Price shown is incl. VAT.



## Colour options

### Standard colours




1016 1274 1259 1282


### Trend colours



1276 1277 1278 1279



1280 1281 1256 1275



1283 1284 1285 1286

## Translucent pleated blind

The VELUX Translucent pleated blind is a decorative solution that provides privacy whilst diffusing soft natural light into your room. Adjust the blind from both the top and the bottom of the roof window\* to let in exactly the right amount of light.

- Along the bottom of the blind, the new slimmer profile on the solar and electric options provides an unobstructed view and maximum daylight.
- Softens incoming light and provides privacy.
- A flying blind design that can be placed anywhere on the roof window.\*
- Available with white or brushed aluminium side rails.
- Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 28.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 49.

## Installation

- Quick and easy installation with pre-fitted brackets.

## Intelligent home control

- Combine your VELUX solar and electric product with our intelligent home control solutions for multiple operation, scheduling and automation.

Read more on page 16.

## Certifications

- Standard 100 by OEKO-TEX® (1076-184) – textiles tested for certain harmful substances.
- STeP by OEKO-TEX® (22002567) – STeP stands for Sustainable Textile & Leather Production.


Most sold window sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08	
Sizes (w×h) cm		55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140	
		□	□	□	□	□	□	□	□	□	□	□	□	□	□	
<b>NEW DESIGN</b>																
Solar FSL	Standard	204.00	204.00	211.20	220.80	228.00	225.60	235.20	242.40	242.40	259.20	268.80	264.00	268.80	292.80	
	Trend	218.40	218.40	225.60	240.00	247.20	242.40	254.40	264.00	261.60	283.20	292.80	288.00	295.20	321.60	
Electric FML	Standard	204.00	204.00	211.20	220.80	228.00	225.60	235.20	242.40	242.40	259.20	268.80	264.00	268.80	292.80	
	Trend	218.40	218.40	225.60	240.00	247.20	242.40	254.40	264.00	261.60	283.20	292.80	288.00	295.20	321.60	
Manual FHL	Standard	96.00	96.00	103.20	112.80	120.00	117.60	127.20	134.40	134.40	151.20	160.80	156.00	160.80	184.80	
	Trend	110.40	110.40	117.60	132.00	139.20	134.40	146.40	156.00	153.60	175.20	184.80	180.00	187.20	213.60	

KUX 110 control system is needed if you install an FML into a manually operated VELUX roof window. To order the blind with white side rails, simply add WL to the end of your product code. \* Manual version only.

All prices in GBP (£)  
Price shown is incl. VAT.







### Colour options

#### Standard colours




7001

7057

### Installation

- Quick and easy installation with pre-fitted brackets.

### Details



Unique and discreet tilt mechanism makes it very easy to tilt the slats.

## Venetian blind

This classic solution for light dimming and privacy is perfect for bathrooms and kitchens. It is moisture-resistant and easy to clean.

- Preserves your view while providing privacy.
- Cordless operation.
- Available with white or brushed aluminium side rails.
- Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 28.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 49.

Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08	
Sizes (w×h) cm	55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140	
Manual PAL	Standard	108.00	108.00	117.60	129.60	136.80	132.00	144.00	153.60	151.20	170.40	182.40	177.60	182.40	208.80

To order the blind with white side rails, simply add WL to the end of your product code.


All prices in GBP (£)  
Price shown is incl. VAT.



## Insect screen

Enjoy fresh air without unwanted visitors with a VELUX Insect screen. The screen is simple to operate and can be combined with any other VELUX interior or exterior blind. It has transparent net fabric and stows neatly away in the slim top casing when not in use.

- 100% insect-proof material.
- Transparent net fabric does not obstruct your view.
- Durable, wind-resistant fabric for long-lasting performance.
- Standard 100 by OEKO-TEX® (1076-184) – textiles tested for certain harmful substances.
- STeP by OEKO-TEX® (22002567) – STeP stands for Sustainable Textile & Leather Production.
- The screen can be combined with any other VELUX interior or exterior blind.



### Determine the correct size

- Measure the inner wall width (A) and height (B) to find the size code and price of your Insect screen in the table below.
- If you have two heights (B) or heights above 2400mm – two Insect screens and one connector set ZOZ 157 SWL are needed.

**IMPORTANT:**  
Insect screen size codes may differ from window size code, please measure (A) and (B) and find correct size code in the table below before ordering.

### Installation


- Quick and easy installation.

	0-438mm	439-530mm	531-640mm	641-760mm	761-922mm	923-1120mm	1121-1285mm
0-1600mm	ZIL BK04 126.00	ZIL CK02 117.60	ZIL FK08 154.80	ZIL MK06 154.80	ZIL PK25 188.40	ZIL SK06 190.80	ZIL UK04 196.80
1601-2000mm	SPECIAL ORDER	ZIL CK06 138.00	ZIL FK08 154.80	ZIL MK06 154.80	ZIL PK06 168.00	ZIL SK06 190.80	ZIL UK10 237.60
2001-2400mm	SPECIAL ORDER	SPECIAL ORDER	ZIL FK08 154.80	ZIL MK10 184.80	ZIL PK10 195.60	ZIL SK10 223.20	ZIL UK10 237.60

All prices in GBP (£)  
Price shown is incl. VAT.



Anti-heat blind (MSU)




5070




Blackout blind (DSU)



4550



Insect screen (ZIU)



0000



**Important!**  
Remember to install blinds at the same time as rooflights

## Blinds for curved and flat glass rooflights

### Anti-heat blind

The Anti-heat blind provides light dimming and heat protection to maintain a cool and comfortable room. The blind is discreetly placed inside the rooflight, and is easily installed from the roof when installing the roof window.

- Reduces overheating.
- Semi-transparent fabric for light control and sky view.
- Solar-powered blind with remote control.
- Not compatible with Blackout blind.

### Blackout blind

VELUX Blackout blind for glass rooflights blocks outside light anytime and is perfect for bedrooms. It is discreetly placed inside the rooflight and easily installed from the roof when installing the roof window.

- Perfect sleep — day or night.
- 99.9% blackout.
- Great for bedrooms and media rooms.
- Solar-powered blind with remote control.
- Not compatible with Anti-heat blind.

### Insect screen


VELUX Insect screen for glass rooflights lets you enjoy fresh air and a view to the sky without the distraction of insects. It comes in a contemporary white design and is easy to install and simple to remove for cleaning.

- Fresh air and 100% insect-proof.
- Durable, transparent net fabric does not obstruct your view.
- Can be combined with an Anti-heat blind or a Blackout blind.

Roof window size (w x h) cm		060060	080080	090060	090090	100100	120090	120120	150080	150100	150120	150150	200060	200100
		60x60	80x80	90x60	90x90	100x100	120x90	120x120	150x80	150x100	150x120	150x150	200x60	200x100
Solar MSU	Anti-heat blind	421.20	439.20	430.80	448.80	458.40	481.20	499.20	471.60	504.00	522.00	572.40	512.40	600.00
Solar DSU	Blackout blind	421.20	439.20	430.80	448.80	458.40	481.20	499.20	471.60	504.00	522.00	572.40	512.40	600.00
Manual ZIU	Insect screen	97.20	102.00	99.60	104.40	105.60	111.60	115.20	109.20	116.40	121.20	133.20	118.80	139.20

Solar MSU and DSU can be combined with our intelligent home control solutions for multiple product operation, scheduling and automation.

All prices in GBP (£)  
Price shown is incl. VAT.



### Anti-heat blind

VELUX Anti-heat blind provides light dimming and heat protection so your indoor temperature stays cool and comfortable. This makes it perfect for living rooms with activity during the day.

6090


### Translucent pleated blind



1016

1259

### Blackout energy pleated blind



1045

1047

## Blinds for dome with glazing\*

#### Anti-heat blind\*\*

VELUX Anti-heat blind provides light dimming and heat protection so your indoor temperature stays cool and comfortable. This makes it perfect for living rooms with activity during the day.

- Reduces solar heating.
- Semi-transparent fabric lets in natural light.
- Available in solar-powered operation with app and remote control.

#### Translucent pleated blind

VELUX Translucent pleated blind for flat roof windows provides soft daylight control in a decorative folding design. It is the perfect choice for living rooms with activity during the day.

- Softly diffuses incoming natural light.
- Available in electric operation with app and remote control.
- Standard 100 by OEKO-TEX® (1076-184) – textiles tested for certain harmful substances.
- STeP by OEKO-TEX® (22002567) – STeP stands for Sustainable Textile & Leather Production.

#### Blackout energy pleated blind

VELUX Blackout energy pleated blind for flat roof windows darkens the room and protects against cold. This makes it the ideal choice for bedrooms and living rooms.

- Blackout and insulating effect.
- Available in solar-powered and electric operation with app and remote control.
- Standard 100 by OEKO-TEX® (1076-184) – textiles tested for certain harmful substances.
- STeP by OEKO-TEX® (22002567) – STeP stands for Sustainable Textile & Leather Production.

\* Also compatible with Curved and Flat glass roof windows (CFP/CVP) bought before July 2021. Solar-powered blinds are not compatible with opaque top unit.  
\*\* Anti-heat blind not compatible with flat glass top unit (2093).



Roof window size (w x h) cm	060060	060090	080080	090090	100100	090120	120120	100150	150150
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Solar MSG	Anti-heat blind	346.80	354.00	361.20	368.40	372.00	384.00	391.20	398.40
Solar FSK	Blackout energy pleated blind	342.00	349.20	356.40	363.60	367.20	378.00	385.20	392.40
Electric FMK	Blackout energy pleated blind	318.00	325.20	331.20	338.40	342.00	351.60	358.80	366.00

Solar MSG is not compatible with ISD 2093. Solar MSG and FSK and electric FMK can be combined with our intelligent home control solutions for multiple product operation, scheduling and automation.

All prices in GBP (£)  
Price shown is incl. VAT.

# Order your new VELUX blind or shutter in five easy steps

1

## Locate your roof window type and size

Find your roof window type and size by checking the type sign placed either on the left or right side of the roof window frame when it is open.

See picture below for placement of type sign.

2

## Select blind or shutter type

Decide on the type of blind or shutter: blackout, light adjustment, heat protection, etc.

3

## Select operation

Select solar, electric or manual operation, depending on the placement and type of roof window.

4

## Select colour

Each of our blind colours has its own colour code, which you can see on the respective blind pages.


You can order free fabric samples at [veluxblindsdirect.co.uk](http://veluxblindsdirect.co.uk)

Please note: Precise colour may vary from the printed samples.


5

## Place your order

Order on [veluxblindsdirect.co.uk](http://veluxblindsdirect.co.uk), or by speaking to one of our dealers or a customer service representative.



## Extras for your blinds and shutters



### Rod control

ZCZ 080  
80cm

ZCT 200 telescopic  
100-180cm

The rod makes it easy to operate out-of-reach manual blinds.



### Rod adaptor

ZOZ 085


Adaptor for manual blinds with control bars supports easy operation with the rod.



### Mounting brackets

ZOZ 230

For installation of blinds on older VELUX roof windows without pre-installed mounting brackets.



### Installation kit

ZOZ 238


For installation of Anti-heat blackout blinds and electric Anti-heat blinds (SSS, MSL or MML) on VELUX roof windows from before 2001.



### Installation kit

ZOZ 229S

For installation of Anti-heat blackout blinds and electric Anti-heat blinds (SSS, MSL or MML) on VELUX electric top-hung roof windows.



### Dual solar switch

ZOZ 246

Dual solar switch allows charging of both shutters and Anti-heat blinds on solar-powered VELUX roof windows. Dual solar switch is required if the shutter or Anti-heat blind is size C or F and installed on a solar-powered VELUX roof window.

## Customer service




Could you use some advice when selecting your blind, or do you have a question about a particular product? Whatever your question, we're here to help and strive to respond promptly to all requests.

[velux.co.uk](http://www.velux.co.uk)  
01592 778225  
[sales@velux.co.uk](mailto:sales@velux.co.uk)

VELUX Company Ltd  
Woodside Way  
Glenrothes  
Fife  
Scotland  
KY7 4ND

Tel: 01592 778 225

Email: [sales@velux.co.uk](mailto:sales@velux.co.uk)  
Website: [velux.co.uk](http://velux.co.uk)

 [facebook.com/VELUXGBI](https://facebook.com/VELUXGBI)  
 [pinterest.com/VELUXGBI](https://pinterest.com/VELUXGBI)  
 [instagram.com/veluxpro\\_gbi](https://instagram.com/veluxpro_gbi)

