

۲

## Blinds and shutters

UK Price List (Includes VAT) Valid from 1<sup>st</sup> April 2024 veluxblindsdirect.co.uk



## Blinds and shutters

- Transforming spaces 4
- Solutions for sustainable living 5
- Why VELUX® 6
- Our timeless blinds collection 8
- Protect your home and block the heat outside 10
- 12 Operation: Select your level of comfort
- 14 Intelligent Home Control solutions
- 16 Installation of VELUX blinds
- Heat Protection: Anti-heat blinds and shutters 18
- Roller blinds 28
- Pleated blinds 40
- Venetian blind 44
- Insect screen 45
- Flat roof window blinds 46
- How to order your new VELUX blinds 50
- 51 Extras for your blinds and shutters

## Transforming spaces into favourite places


We all look for the perfect place where we can relax, recharge and feel content - or even be more productive. Often, without us noticing, it is a place filled with daylight and fresh air.

For over 80 years, the VELUX Group has helped people transform spaces using daylight and fresh air through the roof. By creating brighter, healthier, more sustainable places to live, work, learn and play, we enable a better everyday life for people around the world.

Our award-winning roof windows can fit any roof - flat, pitched, old or new - and can be accessorised with VELUX blinds and shutters. You can even add more space to your home with a VELUX Roof balcony or upgrade your roof windows to VELUX ACTIVE with NETATMO - our intelligent home solution.

VELUX roof windows are built to last. We take pride in our craft and high-quality products. But what you may not see is that VELUX roof windows are part of an ambitious sustainability strategy. We have set targets to reduce our carbon emissions in line with the Paris Agreement's most ambitious emissions reduction pathway. In addition to this, we plan to offset the equivalent of our historical carbon emissions. In other words, there are several reasons to choose a VELUX roof window.





## Solutions for sustainable living

Sustainability has always been in our nature and we are committed to new, pioneering measures, based on science and examined by experts.

We will dramatically reduce our future CO<sub>2</sub> emissions, shifting our power supply to 100% renewable energy and making our production significantly more energy efficient. We will also be fundamentally changing the materials we use for our products to make them more sustainable.

By 2030, we will reduce the carbon footprint of our products by 50%. We will be a climate-neutral company and will have halved CO<sub>2</sub> emissions across our entire value chain. Simultaneously, by 2041, we will have captured the same amount of  $CO_2$  that we have emitted since the company was founded.

In order to achieve this, we have formed a 20-year partnership with WWF (World Wide Fund For Nature) on forest conservation and restoration projects around the world.

When you buy a VELUX solution, you are part of this journey. You will find yourself at the forefront of roof window technology. For example, through energy-efficient triple glazing or the use of smart, sensor-based roof window solutions that create a self-regulating indoor climate for healthy living indoors.


We all need a healthy home - including Mother Nature. With our commitment to become a more sustainable company and contribute to a greener construction industry, we are doing everything we can to achieve this.

## Why VELUX®

Your VELUX roof windows deserve original blinds and shutters, for a perfect fit, beautiful design and long-lasting performance.

### **1** Designed and tested for daily life

All VELUX products are **designed and tested for real life.** Our blinds and shutters are rigorously tested by being opened and closed thousands of times. They are exposed to extreme weather conditions to ensure the blinds retain their colour. What's more, we pull, tug and squeeze the material to ensure your new blind keeps its shape and stands the test of time. Then, when we are happy with the design, our European factories start production.



## 2 Easy to install and use

Original VELUX blinds and shutters are **tailor-made for your VELUX roof windows.** This means they always fit perfectly and are easy to install with no measuring or cutting. The elegant and slim-frame design **ensures a perfect looking result,** making the blind almost invisible when not in use.

### **3** Your colours for your home

Enjoy an extensive choice of blind and shutter types in all styles and colours. You can even create your own customised blind with our **Colour by You** collection - all with a choice of white or brushed aluminium side rails.









## **4** For safety and sustainability

VELUX blinds have **child-safe cordless designs** to ensure safety in your home. All our interior blinds are **OEKO-TEX® certified** and guaranteed to be free from harmful substances. VELUX anti-heat shutters have dual functionality, protecting your room from overheating while actively deterring break-ins.



## Discover our timeless collection

From classic to trendy and light dimming to complete blackout, the VELUX blind collection features stylish colours, subtle patterns and a range of features to match all room types.


The VELUX blind collection is developed in partnership with leading international trend experts. Choose from a large variety of fabrics and colours in classic or more modern designs.

We offer three different **roller blinds** with flat fabrics, two types of **pleated blinds**, as well as our classic **Venetian blinds**. All varieties come in a range of colours for you to mix and match by choosing different or similar colours across your rooms and blind types. Your choice of blind depends entirely on your personal style, the room type, and whether you are looking to create a complete blackout or light dimming effect. Explore the following pages for more inspiration.

**Customise the colour of your blind** If you cannot find the exact colour to match your taste or interiors, the Colour by You collection gives you thousands of additional colours to choose from.

Read more on page 37 or at **veluxblindsdirect.co.uk/colour** 







## Clean all white look

VELUX blinds are available with high-quality side rails in your choice of either brushed or white painted aluminium.

Brushed aluminium works exceptionally well with our lacquered wood-finish roof windows while the white painted rails become almost invisible when paired with white VELUX roof windows. Furthermore, thanks to their UV protection, the bright white will stay unaffected by sunlight.

The side rails are easy to install and designed to complement your VELUX roof windows beautifully.

## Blackout or translucent blinds?

Blackout blinds block incoming light, making them the preferred choice for bedrooms and children's rooms, where darkness is needed for a good night's sleep. **Translucent blinds** allow a dimmed light to enter into the room while effectively preventing glare. Translucent blinds are suitable for many room types like living rooms, home offices and game rooms.

# Protect your home and block the heat outside

Keep your home comfortable with **VELUX** exterior blinds and shutters, designed to shield your space from the heat and dazzling sun before it even reaches your roof windows.

#### Why choose exterior heat protection?

#### Optimal control of daylight and indoor climate

- Protect your home from direct sunlight whenever you want.
- Highly effective indoor temperature control, reducing energy costs for heating or cooling.
- · Benefit from an additional layer of insulation during colder seasons.
- Keep the indoor temperature cool and comfortable during summer.
- · Helps you to relax by reducing noise from the outside.

#### Durability and longevity

- VELUX anti-heat blinds and shutters are built to last and add long-lasting value to your home.
- Made from high-quality materials with up to a 5-year guarantee.
- · Designed to withstand the harshest weather conditions whilst maintaining their functionality and visual appeal for years to come.

#### Great design and hassle-free installation

- Our products are designed to match your VELUX roof windows perfectly, allowing full operation thanks to their position on the outer sash.
- Simple installation from inside the room.





#### Anti-heat blind - keep cool with a view to the outside

With transparent mesh fabric. anti-heat blinds block the sun's heat whilst still maintaining a view to the outdoors. Perfect for glare-free workdays from the home office or cool afternoons in the living room.



#### Anti-heat blackout blind comfort day and night

The Anti-heat blackout blind's durable. light-tight fabric blocks heat and daylight effectively, allowing you to dim the living room for a movie night or black out the bedroom for a good night's sleep.

## Focus Heat protection



Anti-heat blackout shutter complete year-round comfort

The Anti-heat blackout shutter's sturdy exterior provides the best heat protection and blackout capabilities, enabling you to stay cool in summer, effectively insulate your home in winter and sleep soundly through stormy nights.

## Select your level of comfort From manual to fully automated blinds and shutters

Î

Enjoy seamless remote control with **VELUX solar or electric blinds and shutters** 

### D Manual operation

#### Simple hands-on solution

Your manual VELUX blinds come with a clever and discreet control bar that lets you adjust the blind comfortably.

The blind runs smoothly and can be positioned anywhere on the roof window.  $% \left( {{{\bf{n}}_{\rm{s}}}} \right)$ 

## $\widehat{\overline{\mathbb{B}}}$ Remote-controlled

### $\label{eq:second} \begin{array}{l} \mbox{Smarter controls with VELUX solar or electric blinds} \\ \mbox{and shutters} \end{array}$

Choose VELUX solar or electric blinds and shutters to simplify your home living. These products come with a ready-to-use Wall Switch for remote operation, and they can easily be upgraded with a range of intelligent home control solutions to cover everyone's needs.

- Select VELUX solar blinds and shutters for your manual or solar roof window. Installation is easy because there's no need to run cables.
- Select VELUX electric blinds and shutters for your electric roof windows.

#### Intelligent home control

Let intelligent home control take care of your indoor climate Unlock the full potential of your solar or electric blinds and shutters with VELUX Intelligent home control solutions.

VELUX Touch makes it easy to control multiple VELUX solar or electric roof windows, blinds and shutters, with no dependency on Wi-Fi.

VELUX App Control lets you control your VELUX solar or electric products right from your phone - at home or on the go.

VELUX ACTIVE with NETATMO automatically improves your indoor climate and offers seamless control of your VELUX solar or electric products by smartphone or voice commands. To shield your home from excessive heat, you can simply let the system rely on the built-in indoor climate sensors and live weather forecast for automatic operation of your anti-heat blinds and shutters.

See more on the page 14 or at velux.co.uk/smarthome

#### Ŵ

Upgrade your VELUX solar or electric blinds and shutters with **VELUX Intelligent home control** solutions for smartphone control and fully automated heat protection

## Easy control options for your VELUX solar and electric products

Our controls make it easy for you to adjust your roof windows, blinds and shutters with the simple touch of a switch or your smartphone. Say goodbye to manual adjustments and experience the easy way of managing your roof windows, blinds and shutters.



### Basic Wall Switch

VELUX Wall Switch

The Wall Switch lets you conveniently open, stop and close VELUX solar and electric products.

 Allows control of one product per switch.

Included with the purchase of any VELUX solar or electric product

~
2-0

## Multiple product switch

VELUX Touch

VELUX Touch makes it easy to feel perfectly comfortable at home by ensuring every solar or electric roof window, blind and shutter is always within easy reach. Let in a cool breeze when you need a breath of fresh air, shield your home from the midday sun or close the blinds for a movie night - all with a single master switch.

- · Control multiple VELUX solar and electric products in the home.
- 15-minute ventilation timer.

#### VELUX Touch

KLR 300	VELUX Touch	108.00

All prices in GBP (£) Price shown is incl. VA



### **VELUX** App VELUX App Control

VELUX App Control gives you full control of all your VELUX solar or electric products, right from your smartphone. Open and close your roof windows, blinds and shutters with a single swipe or group your VELUX solar or electric products for combined control. Share VELUX App Control with the whole household and keep every roof window within reach - both at home and on the go.

- Control of multiple VELUX solar or electric products in the home.
- 15-minute ventilation timer and scheduling.
- · Personalised home control from anywhere.

Upgrade to VELUX ACTIVE with NETATMO You can upgrade from VELUX App Control to VELUX ACTIVE with NETATMO by purchasing only the VELUX ACTIVE indoor climate sensor (KLA 300)

KIG 300	VELUX App Control Internet gateway	102.00			
	A 11				
		All prices in GBP (£) ice shown is incl. VAT			







### **VELUX** App with sensor

VELUX ACTIVE with NETATMO

VELUX ACTIVE is an intelligent home solution that links your solar or electric products together, allowing your roof windows to let in fresh air, whilst blinds and shutters automatically shield your home from excessive heat. Effortlessly monitor the temperature, humidity and  $CO_2$  levels in your home, while controlling it all with the VELUX ACTIVE app.

- · Automatic ventilation and heat protection.
- Control of multiple VELUX solar or electric products in the home.
- 15-minute ventilation timer and scheduling.
- · Personalised home control from anywhere.

VELUX ACTIVE								
KIX 300	VELUX ACTIVE package (VELUX gateway, departure switch, indoor climate sensor)	205.20						
Additional components								
KLA 300	VELUX ACTIVE indoor climate sensor	75.60						
KLN 300	VELUX ACTIVE departure switch	50.40						



## Installing your genuine VELUX blinds is easier than you think

## Install your genuine VELUX blinds in 15 minutes

Installing VELUX blinds requires no measuring, trimming, cutting or extra tools. They are made for a perfect fit and everything you need is included in the box.

#### No need to measure

You can find your roof window's type and size on the roof window sash – see how on page 48. Then you can be sure that your new blind fits your roof window perfectly without having to take any measurements.



#### No need to cut or trim - just click on

Your VELUX roof windows have pre-installed mounting brackets for your blinds. Simply click on the original VELUX blind and add the side channels provided.

#### Easily replace your old blinds

It is straightforward to replace tired blinds with new ones from VELUX. You can still order blinds that fit almost every generation of VELUX roof window.

Block the heat on the outside of your roof windows with VELUX Heat protection and keep your home cool on hot days and nights



## Outdoor protection, indoor comfort

Our wide range of VELUX Heat protection products effectively help you to protect your home from overheating, allowing you to enjoy a comfortable indoor temperature. Our solar products use daylight energy as their power source, eliminating the need for wiring and offering a seamless installation from inside the room.

#### **Temperature control**

Create a shield between the sun's rays and your roof windows, to prevent the direct sunlight from entering your home. This helps to keep the indoor temperature cooler, reducing the need for air conditioning and lowering energy costs.

#### **Durability and longevity**

Crafted from high-quality materials, our anti-heat blinds and shutters are designed to withstand the harshest weather conditions, whilst maintaining their functionality and visual appeal for years to come.

#### Easy installation

Designed to seamlessly match your VELUX roof windows, our products offer a hassle-free installation. With installation taking place from inside the room, you'll have your new anti-heat blinds or shutters up in no time!

Discover the exterior blind or shutter that best meets the needs of your home.

#### Anti-heat blackout shutter

Heat protection, blackout and

insulation

See more on page 21



f	Heat protection	٠	•	•	•
Ĭ	Blackout	٠	•	•	•
*	Insulation	٠	•		
Ŷ	Noise reduction	٠	•	•	
J	Burglary prevention	٠	•	•	

Anti-heat blackout blind Heat protection and blackout

See more on page 22

& Heat protection

Noise reduction

Burglary prevention

3 Blackout

# Insulation

<u>?</u>

. . .

• • •

. . .

.

#### Anti-heat blind

Heat protection and transparency

See more on page 23



ß	Heat protection	•	•	
Ĭ	Blackout			
*	Insulation			
Ę	Noise reduction	•	•	•
4				

Burglary prevention



## Anti-heat blackout shutter

Take full control of your indoor comfort with the superior heat protection and blackout offered by the VELUX Anti-heat blackout shutter. The ideal choice for year-round protection. The sturdy aluminium shield exterior offers the very best outdoor protection.

- All-in-one protection.
- Best heat protection and sun screening.

- Excellent blackout.
- Effective winter insulation.
- Rain noise reduction.
- Effective protection of roof
- window and from break-ins. • Available with solar-power or electric operation, including app and remote control.
- $\cdot$  Can be combined with a decorative interior blind and an insect screen.

	t sold low sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04
Sizes	(w×h) cm	55×70	70 55×78 55×98 55×118 6		55×98 55×118 66×11		78×98
) (	Solar SSL	604.80	604.80	646.80	667.20	694.80	687.60
ÿ	Electric SML	454.80	454.80	486.00	501.60	522.00	517.20
Ŵ	Electric SMH*	-	-	-	-	730.80	-
Mind	low size					FFK08 27×140	<b>FMK06</b> 139×118
vinu	IOW SIZE			127	×110 1	27~140	133×110
<u>}</u>	Solar SSLS for 3	3in1 and 2i	n1**	1,46	1.60 1,	521.60	1,491.60

KUX 110 control system is needed if you install a SML to a manually operated VELUX roof window. SSL, SML and SMH can be installed on roof windows one above the other, at least 25cm apart and on windows next to each other at least 10cm apart.

SMH is designed for VELUX electric top-hung roof windows. For installation on solar-powered roof windows size F one (or two) dual solar switch(es) ZOZ 246 must be added – read more on page 49.



#### Indoor climate

· Heat protection, blackout and insulation


ß	Heat protection	٠	•	•	•
Ĭ	Blackout	٠	•	•	٠
*	Insulation	٠	٠		
Ŷ	Noise reduction	٠	•	•	
ſ	Burglary prevention	٠	•	•	

#### Intelligent home control

Combine your VELUX solar and electric products with our intelligent home control solutions for multiple product operation, scheduling and automation.

Read more on page 14.

÷	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
3	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
]								
)	722.40	763.20	742.80	825.60	866.40	838.80	832.80	969.60
)	543.60	573.60	558.00	620.40	651.60	631.20	626.40	729.60
	760.80	804.00	-	868.80	-	883.20	-	-
	FMK08	FPK06	FPK			MK08	FFKF06	FFKF08
	139×140	155×118	155×1	40 151	×118 15	51×140	188×118	188×140
	1,564.80	1,556.40	1,629.	60 1,52	1.60 1,0	608.00	2,192.40	2,282.40




## Anti-heat blackout blind

Beat the heat with this effective combination. VELUX Anti-heat blackout blind blocks heat and light, making it ideal for those who want to stay comfortable indoors on hot days and sleep better on warm nights. It is solar powered and easy to install with no need for wiring.

- Effective combination.
- Great heat protection.
- Blocks out light.

- Rain noise reduction.
- Tough, durable polyester fabric.
- Available with solar-powered operation, including both app and remote control.
- Easy self-installation from inside the room. • Can be combined with a
- decorative interior blind and an insect screen.



For old VELUX roof window generations (VES), a ZOZ 238 installation kit set is needed. For VELUX electric top-hung roof windows, a ZOZ 229S kit set is needed.

\* For installation on solar-powered roof windows size C or F one (or two) dual solar switch(es) ZOZ 246 must be added - read more on page 49.

	8
	Ε.
	8
	8
	8
	8
	8
	8
	5
Colid blookout fobrio	
Solid blackout fabric	

0000

#### Indoor climate

• Heat protection and blackout.

ß	Heat protection	٠	•	•	
Ŵ	Blackout	٠	٠	•	
*	Insulation	•			
Ŷ	Noise reduction	•	•	•	
J	Burglary prevention	٠			

#### Intelligent home control

Combine your VELUX solar and electric products with our intelligent home control solutions for multiple product operation, scheduling and automation.

Read more on page 14.



## Anti-heat blind

Keeps your indoors cool and comfortable all day with VELUX Anti-heat blinds that block incoming heat before it ever hits your VELUX roof windows. The ideal choice for home offices or living rooms where you want cooler temperatures and to reduce glare on sunny days.

- Effective heat reduction.
- Transparent fabric lets in light and retains the view to the outside.

Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06		MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06		UK08 U08
Sizes (w×h) cm	55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
Solar MSL*	381.60	381.60	408.00	422.40	439.20	434.40	456.00	488.40	470.40	520.80	547.20	530.40	525.60	612.00
🕁 Electric MML	340.80	340.80	364.80	376.80	391.20	388.80	408.00	429.60	420.00	465.60	489.60	472.80	470.40	547.20
(ကြို Manual MHL	62.40	62.40	62.40	62.40	72.00	76.80	76.80	76.80	88.80	88.80	88.80	100.80	108.00	108.00
					FK08	FMK06	FMK08	FPK06				MK08	FFKF06	FFKF08
Window size			127×	118 12	7×140	139×118	139×140	155×118	155×14	+0 151×	118 15	1×140	188×118	188×140
- K Solar MSLS for 3	3in1 and 2ir	1*	878	3.40 9	12.00	895.20	938.40	934.80	976.8	912	2.00 9	964.80	1,317.60	1,368.00

the room.

For old VELUX roof window generations (VES), a ZOZ 238 installation kit set is needed. For VELUX electric top-hung roof windows, a ZOZ 229S kit set is needed.

must be added - read more on page 49.

KUX 110 control system is needed if you install an MML to a manually operated VELUX roof window. \* For installation on solar-powered roof windows size C or F one (or two) dual solar switch(es) ZOZ 246

All prices in GBP (£) Price shown is incl. VAT

٠										×.		÷						
									н,									
ŧ,		e,	٠	٠	٠						-							
	۰.		÷							٠				-				
1		÷													٠			
	٠			٠		٠				٠								
															٠		٠	
1						٠				٠			٠					
		٠		×.		×,				٠		×.			٠		×.	
	×.						×.			٠		٠						
		e,		2		×,		۰.		•				×.	×,		÷	
							٠											
ł,		٠							٠	٠	٠					٠		
							٠			٠	٠		٠				٠	
																	٠	
	٠				÷.	٠	÷		×.				÷					
1		×.		٠				-		٠		×.				٠		
			-		1													
٩,						×.											×.	
÷	٠			٠		٠	٠			٠								

#### 5060

#### Indoor climate

Heat protection and transparency

ß	Heat protection	٠	•		
Ĭ	Blackout				
₩	Insulation				
Ŷ	Noise reduction	٠	٠	•	
J	Burglary prevention				

#### Intelligent home control

Read more on page 14.

Combine your VELUX solar and electric products with our intelligent home control solutions for multiple product operation, scheduling and automation.

• Rain noise reduction. • Available with solar-power or electric operation, including app and remote control.

• Easy self-installation from inside

· Can be combined with a decorative interior blind and an insect screen.


All prices in GBP (£)

Price shown is incl. VAT


## Combine interior and exterior blinds for optimal comfort

Find your perfect pairing with a manual Interior blind and exterior Anti-heat blind.

- Combine a manual Interior blind and exterior Anti-heat blind and enjoy double the benefit, for less.
- Interior blinds are available in 4 standard colours and in 2 side rail options white or brushed aluminium.
- Manual Anti-heat blind comes with simple-to-handle hook fixing for positioning on the outside of your roof window.
- $\cdot\,$  Transparent fabric lets in light and retains the view to the outside.
- $\cdot\,$  Easy self-installation from the inside.



#### Heat protection plus blackout (DOP)





Colour options

Save up

to 10%


on double packs






Anti-heat blind +

Blackout roller blind











	t sold low sizes		CK01 C01	CK02 C02	CK04 C04	СК06 С06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes	(w×h) cm		55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
		DOP	129.60	129.60	136.80	145.20	157.20	160.80	166.80	172.80	183.60	196.80	205.20	212.40	222.00	240.00
(M)	Manual operation	FOP	153.60	153.60	159.60	170.40	186.00	188.40	196.80	205.20	214.80	231.60	242.40	248.40	259.20	283.20
	-	ROF	129.60	129.60	136.80	145.20	157.20	160.80	166.80	172.80	183.60	196.80	205.20	212.40	222.00	240.00

To order the blind with white side rails, simply add WL to the end of your product code.

Set the scene for daytime living and restful nights with VELUX blinds







## Translucent roller blind


VELUX Translucent roller blinds provide basic privacy whilst still allowing in natural light. Perfect for living rooms, offices and playrooms.

- Softens incoming light and provides privacy.
- Available with white or brushed aluminium side rails.
- Available in solar, electric or manual operation.
- $\cdot\,$  Combine your manual blind with an Anti-heat blind and save 10%. Read more on page 24.



Standard colours





#### Installation

• Quick and easy installation with pre-fitted brackets.

#### Intelligent home control

Combine your VELUX solar and electric products with our intelligent home control solutions for multiple product operation, scheduling and automation.

Read more on page 14.

#### Certifications

Standard 100 by OEKO-TEX (1076-184)
 – contains no harmful substances.

- STeP by OEKO-w TEX (22002567)
- sustainable textile production.

Most wind	sold ow sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes	(w×h) cm		55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
٧C	Solar	Standard	187.20	187.20	194.40	204.00	208.80	206.40	213.60	220.80	220.80	235.20	244.80	240.00	244.80	264.00
χį	RSL	Trend	201.60	201.60	208.80	218.40	223.20	220.80	228.00	235.20	235.20	249.60	259.20	254.40	259.20	278.40
₽	Electric	Standard	177.60	177.60	184.80	194.40	199.20	196.80	204.00	211.20	211.20	225.60	235.20	230.40	235.20	254.40
Ŷ	RML	Trend	192.00	192.00	199.20	208.80	213.60	211.20	218.40	225.60	225.60	240.00	249.60	244.80	249.60	268.80
մի	Manual St	Standard	81.60	81.60	88.80	98.40	103.20	100.80	108.00	115.20	115.20	129.60	139.20	134.40	139.20	158.40
( <sup></sup> )		Trend	96.00	96.00	103.20	112.80	117.60	115.20	122.40	129.60	129.60	144.00	153.60	148.80	153.60	172.80

KUX 110 control system is needed if you install a RML to a manually operated VELUX roof window. To order the blind with white side rails, simply add WL to the end of your product code.







## Blackout roller blind

The VELUX Blackout roller blind provides darkness anytime, ideal for bedrooms to ensure a good night's sleep or a daytime nap.

- Excellent blackout.
- Available with white or brushed aluminium side rails.
- · Available in solar, electric or manual operation.
- · Combine your manual blind with an Anti-heat blind and save 10%. Read more on page 24.







#### Installation

Quick and easy installation with pre-fitted brackets.

#### Intelligent home control

Combine your VELUX solar and electric products with our intelligent home control solutions for multiple product operation, scheduling and automation.

Read more on page 14.

#### Certifications

- · Standard 100 by OEKO-TEX (1076-184)
- contains no harmful substances.
- STeP by OEKO-TEX (22002567) - sustainable textile production.
- CK01 CK02 CK06 FK06 MK04 MK06 PK08 PK10 SK06 Most sold CK04 MK08 **PK04** UK04 UK08 C01 C02 C04 C06 F06 M04 M06 P04 P10 S06 U04 1108 window sizes M08 P08 Sizes (w×h) cm 55×70 55×78 55×98 55×118 66×118 78×98 78×118 94×98 94×140 94×160 114×118 134×98 134×140 78×140 Standard 187.20 187.20 194.40 204.00 208.80 206.40 213.60 220.80 220.80 235.20 244.80 240.00 244.80 264.00 것 · Solar DSL Trend 201.60 201.60 208.80 218.40 223.20 220.80 228.00 235.20 235.20 249.60 259.20 254.40 259.20 278.40 Standard 177.60 177.60 184.80 194.40 199.20 196.80 204.00 211.20 211.20 225.60 235.20 230.40 235.20 254.40 Flectric ৢ DML Trend 192.00 192.00 199.20 208.80 213.60 211.20 218.40 225.60 225.60 240.00 249.60 244.80 249.60 268.80 81.60 81.60 88.80 98.40 103.20 100.80 108.00 115.20 115.20 129.60 139.20 134.40 139.20 158.40 Standard (ကြို Manu DKL Manual 96.00 103.20 112.80 117.60 115.20 122.40 129.60 129.60 144.00 153.60 148.80 153.60 172.80 Trend 96.00

 $\rm KUX~110$  control system is needed if you install a DML to a manually operated VELUX roof window. To order the blind with white side rails, simply add WL to the end of your product code.

All prices in GBP (£) Price shown is incl. VAT



## Duo blackout roller blind

VELUX Duo blackout roller blind is a blackout roller and a translucent pleated blind in one. It offers the best of both worlds - blackout at night and softly diffused light during the day.


- $\cdot\,$  Two ways to control light in one solution excellent blackout to darken the room or soften incoming light.
- · Choose any colour blackout roller blind combined with white pleated blind (1016).
- · Available with white or brushed aluminium side rails.
- · Available with manual operation.
- · Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 20.

Most wind	sold ow sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes	(w×h) cm		55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
ſΓ	Manual	Standard	108.00	108.00	115.20	127.20	134.40	132.00	141.60	151.20	148.80	168.00	180.00	175.20	180.00	206.40
լՈի	DFD	Trend	122.40	122.40	129.60	141.60	148.80	146.40	156.00	165.60	163.20	182.40	194.40	189.60	194.40	220.80

To order the blind with white side rails, simply add WL to the end of your product code.

#### Colour options

#### Standard colours



#### Trend colours







Always combined with white Translucent pleated blind (1016)


#### Installation

• Quick and easy installation with pre-fitted brackets.

#### Certifications

- · Standard 100 by OEKO-TEX (1076-184) - contains no harmful substances.
- STeP by OEKO-TEX (22002567) - sustainable textile production.







Translucent roller blind RFY

Blackout roller blind DKY

### Nature collection

For design and environmentally conscious consumers, our Nature collection blinds come in a range of colours that allow you to bring the peace and tranquillity of nature directly into your home. Primarily made from recycled materials, which halves their carbon footprint compared with other collections, they are the natural choice for getting the most out of your VELUX roof windows.

#### Blackout roller blind DKY

• Excellent blackout to darken the room.

#### Translucent roller blind RFY

• Softens incoming light and provides privacy.

#### Blackout roller blind DKY and Translucent roller blind RFY

- Available with white or brushed aluminium side rails.
- Available with manual operation.
- $\cdot\,$  Combine with an exterior anti-heat blind or shutter for effective heat protection. Read more on page 20.

	sold ow sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes	(w×h) cm		55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
լՈդ	Manual	DKY	96.00	96.00	103.20	112.80	117.60	115.20	122.40	129.60	129.60	144.00	153.60	148.80	153.60	172.80
(יייי <u>)</u>	operation	RFY	96.00	96.00	103.20	112.80	117.60	115.20	122.40	129.60	129.60	144.00	153.60	148.80	153.60	172.80

To order the blind with white side rails, simply add WL to the end of your product code.

#### Colour options

#### Blackout roller blind DKY

Forest	Marsh
4901	4902
Lake	Cave
4903	4904

#### Translucent roller blind RFY





Woods 4953



Dunes 4952



Cliffs 4954

#### Installation

Quick and easy installation with pre-fitted brackets.

#### Certifications

- Standard 100 by OEKO-TEX (2276-378)
   contains no harmful substances.
- STeP by OEKO-TEX (22002567)
   sustainable textile production.
- Our products hold verified EPD certificates complying with the European Standard EN 15804+A2.





## Children's collection

The greatest adventures start with a good night's sleep. VELUX Children's collection blinds feature inspirational and cheerful designs made for kids' rooms. Available as Blackout blind or as Duo blackout blind that combines blackout and light dimming in one solution.

#### Blackout roller blind DKL

• Excellent blackout to darken the room.

#### Duo blackout roller blind DFD

- Two ways to control light in one solution blackout the room completely or soften incoming light.
- Choose any Children's collection Blackout roller blind combined with white pleated blind (1016).


#### Blackout roller blind DKL and Duo blackout roller blind DFD

- Available with white or brushed aluminium side rails.
- Available with manual operation.

	sold ow sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes	(w×h) cm		55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
րՈղ	Manual	DKL	96.00	96.00	103.20	112.80	117.60	115.20	122.40	129.60	129.60	144.00	153.60	148.80	153.60	172.80
(""J	operation	DFD	122.40	122.40	129.60	141.60	148.80	146.40	156.00	165.60	163.20	182.40	194.40	189.60	194.40	220.80

To order the blind with white side rails, simply add WL to the end of your product code.

#### Colour options



#### Installation

Quick and easy installation with pre-fitted brackets.


#### Certifications

- Standard 100 by OEKO-TEX (1076-184)
   contains no harmful substances.
- STeP by OEKO-TEX (22002567)
   sustainable textile production.



#### Colour options

Standard colours



#### Installation

• Quick and easy installation with pre-fitted brackets.



## Basic blackout blind

The VELUX Basic blackout blind is a good alternative for roof windows manufactured before 2014. Ideal if you simply want to replace your old blind with a cost-effective solution.

- Blackout effect.
- Stepless positioning.
- Only available for VELUX roof windows manufactured before 2014.
- · Available in 4 colours and comes with a 2-year guarantee.
- · Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 20.

Most sold window	sizes	C02	C04	F06	M04	M06	M08	P08	S06	U04	U08
Sizes (w×h) cm		55×78	55×98	66×118	78×98	78×118	78×140	94×140	114×118	134×98	134×140
(f) Manual operation	DBL	57.60	62.40	72.00	69.60	76.80	81.60	91.20	93.60	98.40	110.40

All prices in GBP (£) Price shown is incl. VAT.

## Colour by You

The Colour by You collection lets you customise your roller blinds. Choose from thousands of colours to create the look that you've been dreaming of. Get inspired by trying the colour selection tool at veluxblindsdirect.co.uk and start customising your blinds today. Available for Translucent roller blind (RFL, RML, RSL), Blackout roller blind (DKL, DML, DSL) and Duo blackout roller blind (DFD). All with a choice of white or brushed aluminium side rails.

- · Available in solar, electric or manual operation.
- Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 20.

	sold ow sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes	(w×h) cm		55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
-3[7]	Solar	RSL	201.60	201.60	208.80	218.40	223.20	220.80	228.00	235.20	235.20	249.60	259.20	254.40	259.20	278.40
-47	20191	DSL	201.60	201.60	208.80	218.40	223.20	220.80	228.00	235.20	235.20	249.60	259.20	254.40	259.20	278.40
Ŷ	[] tria	RML	192.00	192.00	199.20	208.80	213.60	211.20	218.40	225.60	225.60	240.00	249.60	244.80	249.60	268.80
Ŷ	Electric	DML	192.00	192.00	199.20	208.80	213.60	211.20	218.40	225.60	225.60	240.00	249.60	244.80	249.60	268.80
		RFL	96.00	96.00	103.20	112.80	117.60	115.20	122.40	129.60	129.60	144.00	153.60	148.80	153.60	172.80
լՈի	Manual operation	DKL	96.00	96.00	103.20	112.80	117.60	115.20	122.40	129.60	129.60	144.00	153.60	148.80	153.60	172.80
	•	DFD	122.40	122.40	129.60	141.60	148.80	146.40	156.00	165.60	163.20	182.40	194.40	189.60	194.40	220.80

To order the blind with white side rails, simply add WL to the end of your product code.

#### Installation

· Quick and easy installation on VELUX roof windows.

#### Intelligent home control

Combine your VELUX solar and electric products with our intelligent home control solutions for multiple product operation, scheduling and automation.

Read more on page 14.

#### Certifications

- Standard 100 by OEKO-TEX (1076-184) - contains no harmful substances.
- STeP by OEKO-TEX (22002567) - sustainable textile production

VELUX **pleated blinds** A stylish layer of privacy that either softens or blocks daylight entirely






## Translucent pleated blind

The VELUX Translucent pleated blind is a decorative solution that provides privacy whilst diffusing soft natural light into your room. Adjust the blind from both the top and the bottom of the roof window\* to let in exactly the right amount of light.

- Softens incoming light and provides privacy.
- A flying blind design that can be placed anywhere on the roof window.\*
- Available with white or brushed aluminium side rails.
- Available in solar, electric or manual operation.
- $\cdot$  Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 20.

#### Colour options

Standard colours



#### Installation

Quick and easy installation with pre-fitted brackets.

#### Intelligent home control

Combine your VELUX solar and electric products with our intelligent home control solutions for multiple product operation, scheduling and automation.

Read more on page 14.

#### Certifications

 Standard 100 by OEKO-TEX (1076-184)
 – contains no harmful substances. STeP by OEKO-TEX (22002567)
 – sustainable textile production.

Most wind	sold ow sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes	(w×h) cm		55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
	Solar	Standard	201.60	201.60	208.80	218.40	225.60	220.80	230.40	240.00	237.60	254.40	264.00	261.60	266.40	288.00
۲) ۲	FSL	Trend	216.00	216.00	223.20	232.80	240.00	235.20	244.80	254.40	252.00	268.80	278.40	276.00	280.80	302.40
ţ	Electric	Standard	192.00	192.00	199.20	208.80	216.00	211.20	220.80	230.40	228.00	244.80	254.40	252.00	256.80	278.40
Ŷ	FML	Trend	206.40	206.40	213.60	223.20	230.40	225.60	235.20	244.80	242.40	259.20	268.80	266.40	271.20	292.80
լՈյ	Manual	Standard	96.00	96.00	103.20	112.80	120.00	115.20	124.80	134.40	132.00	148.80	158.40	156.00	160.80	182.40
נייין	FHL	Trend	110.40	110.40	117.60	127.20	134.40	129.60	139.20	148.80	146.40	163.20	172.80	170.40	175.20	196.80

KUX 110 control system is needed if you install a FML to a manually operated VELUX roof window. To order the blind with white side rails, simply add WL to the end of your product code. \* Manual version only







## Blackout energy pleated blind

VELUX Blackout energy pleated blinds provide both blackout and insulation. Perfect for bedrooms that need blackout at night and extra insulation. Adjust the blind from both the top and the bottom of the roof window  $\overset{\circ}{*}$  to let in exactly the right amount of light.

- Blackout for a great night's sleep or a nap during the day.
- Insulation for increased comfort.
- $\cdot\,$  A flying blind design that can be placed anywhere on the roof window.\*
- Available with white or brushed aluminium side rails.
- Available in solar, electric or manual operation.
- Combine your manual blind with a manual Anti-heat blind and save 10%. Read more on page 24.

	sold ow sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes	(w×h) cm		55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
- থটা	Solar	Standard	213.60	213.60	220.80	232.80	240.00	237.60	247.20	256.80	254.40	273.60	285.60	280.80	285.60	312.00
<u>}</u> ł	FSC	Trend	228.00	228.00	235.20	247.20	254.40	252.00	261.60	271.20	268.80	288.00	300.00	295.20	300.00	326.40
ৢ	Electric	Standard	204.00	204.00	211.20	223.20	230.40	228.00	237.60	247.20	244.80	264.00	276.00	271.20	276.00	302.40
Ψ	FMC	Trend	218.40	218.40	225.60	237.60	244.80	242.40	252.00	261.60	259.20	278.40	290.40	285.60	290.40	316.80
	Manual	Standard	108.00	108.00	115.20	127.20	134.40	132.00	141.60	151.20	148.80	168.00	180.00	175.20	180.00	206.40
լՈՒյ	FHC	Trend	122.40	122.40	129.60	141.60	148.80	146.40	156.00	165.60	163.20	182.40	194.40	189.60	194.40	220.80

KUX 110 control system is needed if you install an FMC to a manually operated VELUX roof window. To order the blind with white side rails, simply add WL to the end of your product code. \* Manual version only

#### Colour options Standard colours

Standard Colours							
1045	1047	1163	1156				
Trend colo	urs						
1164	1165	1166	1167				
1168	1169	1155	1170				
1049	1171	1172	1173				

#### Installation

Quick and easy installation with pre-fitted brackets.

#### Intelligent home control

Combine your VELUX solar and electric products with our intelligent home control solutions for multiple product operation, scheduling and automation.

Read more on page 14.

#### Certifications

- Standard 100 by OEKO-TEX (1076-184)
   contains no harmful substances.
- STeP by OEKO-TEX (22002567)
- sustainable textile production.



## Venetian blind

This classic solution for light dimming and privacy is perfect for bathrooms and kitchens. It is moisture resistant and easy to clean.

- Preserves your view while providing privacy.
- · Cordless operation.
- Available with white or brushed aluminium side rails.
- Available with manual operation.
- · Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 20.

#### Colour options


Installation

Details

Quick and easy installation with pre-fitted brackets.

• Unique and discreet tilt mechanism makes it very easy to alter the slats.





### Insect screen

Enjoy fresh air without the unwanted visitors with a VELUX Insect screen. The screen is simple to operate, and can be combined with any other VELUX interior or exterior blind. It has transparent net fabric and stows neatly away in the slim top casing when not in use.


- 100% insect-proof material.
- Transparent net fabric does not obstruct your view.
- Durable, wind-resistant fabric for long-lasting performance.
- Standard 100 by OEKO-TEX (1076-184) contains no harmful substances.
- STeP by OEKO-TEX (22002567) sustainable textile production.

Most sold window s			CK01 C01	СК02 С02	CK04 C04	СК06 С06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h	n) cm		55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
رال) Mai PAL	anual L	Standard	108.00	108.00	115.20	127.20	134.40	132.00	141.60	151.20	148.80	168.00	180.00	175.20	180.00	206.40

To order the blind with white side rails, simply add  $\mathsf{WL}$  to the end of your product code.

All prices in GBP (£) Price shown is incl. VAT.

		<b></b>			— A –			
-		0-438mm	439-530mm	531-640mm	641-760mm	761-922mm	923-1120mm	1121-1285mm
	0-1600mm	ZIL BK04	ZIL CK02	ZIL FK08	ZIL MK06	ZIL PK25	ZIL SK06	ZIL UK04
		123.60	115.20	152.40	152.40	186.00	189.60	194.40
D	1601-2000mm	SPECIAL ORDER	ZIL CK06	ZIL FK08	ZIL MK06	ZIL PK06	ZIL SK06	ZIL UK10
D		-	136.80	152.40	152.40	166.80	189.60	234.00
	2001 2/00	SPECIAL ORDER	SPECIAL ORDER	ZIL FK08	ZIL MK10	ZIL PK10	ZIL SK10	ZIL UK10
	2001-2400mm	-	-	152.40	182.40	193.20	219.60	234.00



++++	++++		
ŦŦŦŦ			
ŦĦŦ			
###			
###			
###	###	###	

#### Determine the correct size

- Measure the inner wall width (A) and height (B) to find the size code and price of your insect screen in the table below.
- If you have two heights (B) or heights above 2400mm – two insect screens and one connector set ZOZ 157 SWL are needed.

#### **IMPORTANT:**

Insect screen size codes may differ from window size code, please measure (A) and (B) and find correct size code in the table below before ordering.

#### Installation

• Quick and easy installation.

All prices in GBP (£) Price shown is incl. VAT.


45







#### Anti-heat blind (MSU)



Blackout blind (DSU)



4550



0000



#### New generation

## Blinds for curved and flat glass rooflights

#### Anti-heat blind

The Anti-heat blind provides light dimming and heat protection to maintain a cool and comfortable room. The blind is discreetly placed inside the rooflight, and is easily installed from the roof when installing the window.

- Reduces overheating.
- Semi-transparent fabric for light control and sky view.
- Solar-powered blind with remote control.
- Not compatible with Blackout blind.

#### Blackout blind

VELUX Blackout blind for glass rooflights blocks outside light anytime and is perfect for bedrooms. It is discreetly placed inside the rooflight and easily installed from the roof when installing the window.

- Perfect sleep day or night.
- 99.9% blackout.
- Great for bedrooms and media rooms.
- Solar-powered blind with remote control.
- Not compatible with Anti-heat blind.

#### Insect screen

VELUX Insect screen for glass rooflights lets you enjoy fresh air and a view to the sky without the distraction of insects. It comes in a contemporary white design and is easy to install and simple to remove for cleaning.

- Fresh air and 100% insect-proof.
- Durable, transparent net fabric does not obstruct your view.
- $\cdot\,$  Can be combined with an Anti-heat blind or a Blackout blind.


Most	sold window siz	es	060060	080080	090060	090090	100100	120090	120120	150080	150100	150120	150150	200060	200100
Sizes	(w×h) cm		60×60	80×80	90x60	90×90	100×100	120x90	120×120	150×80	150×100	150×120	150×150	200×60	200×100
<u>}</u>	Solar MSU	Anti-heat blind	416.40	434.40	426.00	444.00	452.40	475.20	493.20	465.60	498.00	516.00	565.20	506.40	592.80
<u>,</u> J	Solar DSU	Blackout blind	416.40	434.40	426.00	444.00	452.40	475.20	493.20	465.60	498.00	516.00	565.20	506.40	592.80
(III)	Manual ZIU	Insect screen	96.00	100.80	98.40	103.20	104.40	110.40	114.00	108.00	115.20	120.00	130.80	117.60	136.80

Solar MSU and DSU can be combined with our intelligent home control solutions for multiple product operation, scheduling and automation. Read more about these solutions on page 14.






#### Anti-heat blind



#### Blackout energy pleated blind



## Blinds for dome with glazing\*

#### Anti-heat blind

VELUX Anti-heat blind provides light dimming and heat protection so your indoor temperature stays cool and comfortable. This makes it perfect for living rooms with activity during the day.

- Reduces solar heating.
- Semi-transparent fabric lets in natural light.
- Available with solar-powered operation, including app and remote control.

#### Blackout energy pleated blind

VELUX Blackout energy pleated blind for flat roof windows darkens the room and protects against cold. This makes it the ideal choice for bedrooms and living rooms.

- Blackout and insulating effect.
- Available with solar-power or electric operation, including app and remote control.
- Standard 100 by OEKO-TEX<sup>®</sup> (1076-184 DTI) contains no harmful substances.
- STeP by OEKO-TEX® sustainable textile production.


Most	t sold window siz	res	060060	060090	080080	090090	100100	090120	120120	100150	150150
Sizes	(w×h) cm		60×60	60x90	80×80	90×90	100×100	90x120	120×120	100×150	150×150
<u>}</u>	Solar MSG	Anti-heat blind	342.00	349.20	356.40	364.80	368.40	379.20	386.40	393.60	-
<u>}</u> [+	Solar FSK	Blackout energy pleated blind	337.20	344.40	351.60	358.80	362.40	373.20	381.60	388.80	457.20
ঢ়	Electric FMK	Blackout energy pleated blind	314.40	320.40	327.60	334.80	337.20	348.00	354.00	361.20	426.00

* Also compatible with curved and flat glass roof windows bought before April 2022.	Solar-powered blinds are not compatible with opaque top unit.
---	---


Solar MSG is not compatible with ISD 2093. Solar MSG and FSK and electric FMG and FMK can be combined with our intelligent home control solutions for multiple product operation, scheduling and automation.




## Order your new VELUX blind or shutter in five easy steps







## Extras for your blinds and shutters



£16.80 ZOZ 085 ZCT 200 telescopic £36.00

Adaptor for manual blinds with control bars supports easy operation with the rod.

Rod adaptor

The rod makes it easy to operate out-of-reach manual blinds.

ZCZ 080

100-180cm

80cm





Installation kit

ZOZ 229S

£31.20

Installation kit ZOZ 238

For installation of anti-heat blackout blinds and electric anti-heat blinds (SSS, MSL or MML) on VELUX roof windows from before 2001.

For installation of anti-heat blackout blinds and electric anti-heat blinds (SSS, MSL or MML) on VELUX electric top-hung roof windows.

### Customer service

Could you use some advice when selecting your blind, or do you have a question about a particular product? Whatever your question, we're here to help and strive to respond promptly to all requests.





Mounting brackets

£9.60

ZOZ 230

£6.00

For installation of blinds on older VELUX roof windows without pre-installed mounting brackets.



£54.00



Dual solar switch

ZOZ 246

£56.40

Dual solar switch allows charging of both shutters and anti-heat blinds on solar-powered VELUX roof windows. Dual solar switch is required if the shutter or anti-heat blind is size C or F and installed on a solar-powered VELUX roof window.



VELUX Company Ltd Woodside Way Glenrothes Fife Scotland KY7 4ND

Tel: 01592 778 225

Email: sales@velux.co.uk Website: velux.co.uk

facebook.com/VELUXGBI

- indebiookcom/VELUXGBI
  pinterest.com/VELUXGBI
  instagram.com/VELUX



