

Release Notes for VELUX ArchiCAD Library

Version: [VELUX ARCHICAD 20260915.lcf](#)
ReleaseDate: **15th of September 2026**
Contact: bim@velux.com
YouTube Tutorials: [VELUX BIM & Building Simulation Tools/ ARCHICAD](#)

1. New product launch

With this library release, we are pleased to introduce the **VELUX Heritage conservation roof window GCL**, a top-hung window with a vacuum-insulated glass unit.

The Heritage conservation roof window GCL has a black exterior and is operated using a winding handle fixed to the bottom frame. It is designed to blend seamlessly into buildings in conservation areas and is installed using a VELUX flashing made from black aluminium.





Release Notes for VELUX ArchiCAD Library

Version: [VELUX ARCHICAD 20260915.lcf](#)
 ReleaseDate: **15th of September 2026**
 Contact: bim@velux.com
 YouTube Tutorials: [VELUX BIM & Building Simulation Tools/ ARCHICAD](#)

The frame and sash are made from laminated pine and finished in white with three coats. The exterior of the sash is metal-clad and therefore maintenance-free. The window is equipped with a vacuum-insulated glass unit.

You can find the window under “**Historical Building Windows**”. Select the vacuum-insulated glass unit under “**Glazing**”.

- Available in nine sizes
- Suitable for roof pitches from 20° to 60°



Release Notes for VELUX ArchiCAD Library

Version: [VELUX ARCHICAD 20260915.lcf](#)
 ReleaseDate: **15th of September 2026**
 Contact: bim@velux.com
 YouTube Tutorials: [VELUX BIM & Building Simulation Tools/ ARCHICAD](#)

IMPORTANT:

This product is subject to regional availability. To check whether it is available in your region, select the appropriate market under:

Model View Options > VELUX > Market (Region)

